



COMPLETE FOOD & DIETETIC FOOD  
FOR DOGS AND CATS

WWW.SANIMED.INFO





*A healthy life*

*starts with*

*good nutrition*

**SANIMED**



# CONTENT

# Why SANIMED?

4

<b>SANIMED Dog</b>	<b>page</b>
Overview Preventive	6
Overview Curative	8

<b>SANIMED Cat</b>	<b>page</b>
Overview Preventive	38
Overview Curative	39

<b>SANIMED Dog</b>	<b>page</b>
Product Overview Preventive	
SANIMED Puppy	10
SANIMED Junior	12
SANIMED Adult	14
SANIMED Senior	16

<b>SANIMED Cat</b>	<b>page</b>
Product Overview Preventive	
SANIMED Kitten	40
SANIMED Adult	42
SANIMED Senior	44

<b>SANIMED Dog</b>	<b>page</b>
Product Overview Curative	
SANIMED Anti-Struvite	18
SANIMED Atopy/Sensitive	20
SANIMED Cardiac	22
SANIMED Hypoallergenic DR	24
SANIMED Hypoallergenic LR	26
SANIMED Osteoarthritis	28
SANIMED Renal	30
SANIMED Weight Control	32
SANIMED Weight Reduction	34
SANIMED Recovery	36
SANIMED Clinical Choice	
Pure Duck	37

<b>SANIMED Cat</b>	<b>page</b>
Product Overview Curative	
SANIMED Anti-Struvite	46
SANIMED Atopy/Sensitive	48
SANIMED Renal	50
SANIMED Weight Reduction	52



**PROF. DR.  
ANTON BEYNEN**

5

**SANIMED**

**Weight Program**

**55**

<b>SANIMED</b>	<b>page</b>
Indication overview	54
SANIMED Weight Program	55

**S A N I M E D**  
VETERINARY NUTRITION



# Why SANIMED?



SANIMED Veterinary Nutrition for dogs and cats was developed by Prof. Dr. Anton Beynen, and is produced by Vobra Special Petfoods BV, Veghel, The Netherlands. The company has more than 80 years of experience in producing and marketing pet foods.



A quick impression of the extensive and comprehensive range of SANIMED Veterinary Nutrition

SANIMED Veterinary Nutrition combines scientific knowledge about the effectiveness of preventive nutrition and diet therapy with its long experience in the field of high quality dog and cat food production.

The SANIMED Preventive products are adjusted to the life stages of dogs and cats and are perfectly suitable for all breeds. SANIMED Curative is developed with high quality, natural ingredients that have proven their effectiveness

and is tailored to the specific characteristics of various disorders. SANIMED dry and wet foods are fully interchangeable and can therefore be combined perfectly. Moreover, SANIMED Veterinary Nutrition pet foods are also very tasty!

**Please contact us and in the meantime take a look at [www.sanimed.info](http://www.sanimed.info)**

Should you want more information, please do not hesitate to contact us:



**[www.sanimed.info](http://www.sanimed.info)**

- Developed by Prof. Dr. Anton Beynen
- Based on scientific research
- Only top-quality, natural ingredients
- Very tasty dry and wet foods for dogs and cats
- Perfect price/quality ratio according to customer satisfaction surveys



**S A N S M E D**  
VETERINARY NUTRITION



## PROF. DR. ANTON BEYNEN

Prof. Dr. Anton Beynen's main responsibility is the Research & Development department of Vobra Special Petfoods. Born in 1953, he is currently professor of Animal Nutrition at the Rajamangala University of Technology, Isan in Sakon Nahkon (Thailand).

Anton Beynen holds a Master of Science in Human Nutrition (1977) and wrote a Ph.D. thesis on the regulation of fat metabolism (1981). Anton Beynen has held six chairs. As a professor at the University of Wageningen (1987-1992), the University of Indonesia (1991-1993) and the University of Utrecht (1993-2007), he has taught basic and applied animal nutrition to students of veterinary medicine and biomedicine. He also, in various ways, researches the influence of diet on dog and cat health.

# SANIMED Preventive Dog

	PUPPY	JUNIOR	ADULT
Small breeds	4 - 21 weeks	5 - 8 months	9 months - 7 years
Medium-sized breeds	4 - 26 weeks	6 - 10 months	11 months - 6 years
Large breeds	4 - 29 weeks	7 - 15 months	16 months

## Health food for puppies

- contains protein, fat and carbohydrates of very high quality, making it very easy to digest
- optimal calcium content to reduce the risk of musculoskeletal disorders
- is rich in polyunsaturated fatty acids of the omega-3 family which improve the condition of skin and coat and supports the immune system as well as the learning ability of the puppy

See page 10 for more information

## Health food for junior dogs

- optimal calcium content to reduce the risk of musculoskeletal disorders
- is rich in polyunsaturated fatty acids of the omega-3 family which improve the condition of skin and coat and supports the immune system as well as the learning ability of the junior dog

See page 12 for more information



## SENIOR

from 8 years onwards

from 7 years onwards

- 5 years

from 6 years onwards

### Health food for adult dogs

- improves the condition of skin and coat by means of additional omega-3 fatty acids
- with anti-inflammatory effect
- helps to improve mobility
- contains additional yeast to support good resistance
- helps to support a good condition of heart, kidneys and liver
- counteracts obesity e.g. after spaying or neutering

See page 14 for more information



### Health food for senior dogs

- with increased levels of vitamin E to support the mental condition of senior dogs
- reduces strain on liver and kidneys due to a lower content of protein and phosphorus
- additional omega-3 fatty acids promote healthy joints and kidneys

See page 16 for more information



# SANIMED Curative Dog



## SANIMED Anti-Struvite

### Indication

- struvite urolithiasis

[See page 18 for more information](#)



## SANIMED Atopy/Sensitive

### Indication

- food allergy and food intolerance (hydrolysed protein only)
- atopy (allergic dermatitis)
- colitis
- inflammatory bowel disease (IBD)

[See page 20 for more information](#)



## SANIMED Cardiac

### Indication

- heart failure (cardiomyopathy)
- cachexia

[See page 22 for more information](#)



## SANIMED Hypoallergenic DR

### Indication

- food allergy and food intolerance
- colitis
- gastrointestinal issues that benefit from soft food (wet food)

[See page 24 for more information](#)



## SANIMED Hypoallergenic LR

### Indication

- food allergy and food intolerance
- colitis
- gastrointestinal issues that benefit from soft food (wet food)

[See page 26 for more information](#)



## SANIMED Osteoarthritis

### Indication

- arthritis

[See page 28 for more information](#)



## SANIMED Renal

### Indication

- chronic renal insufficiency
- liver insufficiency excluding cholestasis and copper accumulation
- ammonium urate
- calcium oxalate
- cystine urolithiasis

[See page 30 for more information](#)



## SANIMED Weight Control

### Indication

- weight control
- diabetes mellitus
- hyperlipidemia
- constipation
- colitis
- pancreatitis

[See page 32 for more information](#)



## SANIMED Weight Reduction

### Indication

- obesity (overweight)

[See page 34 for more information](#)

## SANIMED Recovery

- low appetite during illness
- recovery after surgery
- temporary higher energy demand e.g. during lactation or extreme exertion

[See page 36 for more information](#)



## SANIMED Clinical Choice Pure Duck

- established to be suitable for elimination diets
- co-developed by dermatologists at the Medisch Centrum voor Dieren (Medical Center for Animals - MCD)

[See page 37 for more information](#)

# SANIMED Puppy



SANIMED Puppy is available  
in packs of 3 kg and 12.5 kg

## Specifications

- supports optimal growth in the puppy stage
- improves the condition of skin and coat
- contributes to a good faeces consistency
- lowers risk of skeletal metabolic disorders

Small breeds: from 4 to 21 weeks

Medium-sized breeds: from 4 to 26 weeks

Large breeds: from 4 to 29 weeks

### Optimal growth


SANIMED Puppy is formulated to meet the high nutritional demands of puppies of all breeds. Growth and production of new tissue is greatest in this stage of life. SANIMED Puppy has a low calcium content (0.45 g / MJ), however sufficient for normal skeletal development in all breeds. The low calcium content of SANIMED Puppy will counteract osteochondrosis and promote normal linear growth of radius and ulna. The ratio of calcium to phosphorus is 1.21, which is considered optimal.

### Learning ability

SANIMED Puppy has a high content of the polyunsaturated fatty acids eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA). Combined with vitamin E, a high intake of EPA will stimulate the immune functions in puppies and a high intake of DHA will have a positive effect on their learning abilities.

Feeding schedule SANIMED Puppy dry food							
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg
Months							
1	65 - 125 g	125 - 215 g	215 - 290 g	290 - 360 g	360 - 600 g	-	-
2	55 - 105 g	105 - 180 g	180 - 245 g	245 - 300 g	300 - 510 g	510 - 685 g	685 - 850 g
3	50 - 100 g	100 - 175 g	175 - 235 g	235 - 290 g	290 - 490 g	490 - 660 g	660 - 815 g
4	45 - 90 g	90 - 165 g	165 - 220 g	220 - 275 g	275 - 465 g	465 - 630 g	630 - 780 g
5	40 - 85 g	85 - 150 g	150 - 200 g	200 - 260 g	260 - 445 g	445 - 600 g	600 - 745 g
6	35 - 80 g	80 - 135 g	135 - 180 g	180 - 250 g	250 - 425 g	425 - 570 g	570 - 710 g


**SANIMED**  
VETERINARY NUTRITION



Analytical constituents		SANIMED Puppy			
		dry food			
		% product	% dry matter	per 100 kcal	per MJ
Crude protein		24.90	27.07	6.37 g	15.17 g
Crude fat		12.50	13.59	3.20 g	7.62 g
Crude fibre		2.30	2.50	0.59 g	1.40 g
Crude ash		5.10	5.54	1.31 g	3.11 g
Moisture		8.00	0.00	2.05 g	4.88 g
Carbohydrates		47.20	51.30	12.08 g	28.76 g
Calcium		0.74	0.80	0.19 g	0.45 g
Phosphorus		0.61	0.67	0.16 g	0.37 g
Sodium		0.23	0.25	0.06 g	0.14 g
Magnesium		0.10	0.10	0.02 g	0.06 g
Potassium		0.60	0.65	0.15 g	0.37 g
Chloride		0.37	0.40	0.09 g	0.23 g
Lysine		1.24	1.34	0.32 g	0.75 g
Methionine		0.48	0.52	0.12 g	0.29 g
Cysteine		0.32	0.35	0.08 g	0.19 g
Threonine		0.86	0.93	0.22 g	0.52 g
Tryptophan		0.23	0.25	0.06 g	0.14 g
Linoleic acid		1.80	1.96	0.46 g	1.10 g
Alpha-Linolenic acid		0.26	0.28	0.07 g	0.16 g
Arachidonic acid		0.02	0.02	0.005 g	0.012 g
EPA		0.14	0.15	0.04 g	0.09 g
DHA		0.14	0.15	0.04 g	0.09 g
Additives per kg		product	dry matter	per 100 kcal	per MJ
Nutritional additives					
Vitamin A (retinyl acetate)	IU	11500.00	12500.00	294.33	700.79
Vitamin D3 (cholecalciferol)	IU	1150.00	1250.00	29.43	70.08
Vitamin E (DL alpha-tocoferol acetate)	IU	250.00	271.74	6.40	15.23
Vitamin K3	mg	1.20	1.30	0.03	0.07
Thiamine B1	mg	5.40	5.87	0.14	0.33
Riboflavin B2	mg	8.10	8.80	0.21	0.49
Niacin	mg	33.75	36.68	0.86	2.06
Pantothenic acid	mg	15.00	16.30	0.38	0.91
Pyroxide B6	mg	3.00	3.26	0.08	0.18
Vitamin B12	mg	0.05	0.05	0.001	0.003
Biotin	mg	0.30	0.33	0.01	0.02
Cholin chloride	mg	606.00	658.70	15.51	36.93
Folic acid	mg	0.75	0.82	0.02	0.05
Vitamin C	mg	100.00	108.70	2.56	6.09
Iron (iron II sulphate monohydrate)	mg	57.00	61.96	1.46	3.47
Manganese (manganese II oxide)	mg	21.00	22.83	0.54	1.28
Copper (copper II sulphate pentahydrate)	mg	10.00	10.87	0.26	0.61
Zinc (zinc sulphate monohydrate)	mg	100.00	108.70	2.56	6.09
Iodine (calcium iodate, anhydrous)	mg	1.00	1.09	0.03	0.06
Selenium (sodium selenite)	mg	0.20	0.22	0.005	0.012
Ratio Omega-3 : Omega-6		1 : 3.60			
Metabolisable energy		MJ/kg	16.41		
		kcal/kg	3907.00		

**Composition**

rice, corn, dehydrated poultry, barley, dried beet pulp, animal fat (poultry, beef), dehydrated fish, whole egg powder, corn gluten, yeast, salmon oil, dehydrated lamb, hydrolysed chicken liver, dehydrated haemoglobin, linseed oil, minerals, fructooligosaccharides (FOS) and plant extracts



# SANIMED Junior

## Declining growth

SANIMED Junior is formulated according to the high nutritional demands of adolescents of all breeds. During the adolescent stage growth rate declines. SANIMED Junior has a low calcium content (0.43 g/MJ), making it perfectly suitable for all breeds. It is still more than sufficient for their active skeletal growth. The ratio of calcium to phosphorus is 1.29.

## Learning ability

SANIMED Junior is rich in the polyunsaturated fatty acids eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA). Combined with vitamin E, a high intake of EPA will stimulate the immune functions in adolescent dogs and a high intake of DHA will have a positive effect on their learning abilities.



SANIMED Junior is available  
in packs of 3 kg and 12.5 kg


## Specifications

- supports optimal growth in junior stage
- improves the condition of skin and coat
- contributes to a good faeces consistency
- lowers risk of skeletal metabolical disorders

Small breeds:	from 5 to 8 months
Medium-sized breeds:	from 6 to 10 months
Large breeds:	from 7 to 15 months

Feeding schedule SANIMED Junior dry food											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	
Months	5	40 - 85 g	85 - 150 g	150 - 215 g	215 - 270 g	270 - 450 g	450 - 610 g	610 - 755 g	755 - 935 g	935 - 1075 g	1075 - 1205 g
24h	5	40 - 85 g	85 - 150 g	150 - 215 g	215 - 270 g	270 - 450 g	450 - 610 g	610 - 755 g	755 - 935 g	935 - 1075 g	1075 - 1205 g
g	6	35 - 80 g	80 - 135 g	135 - 205 g	205 - 255 g	255 - 430 g	430 - 580 g	580 - 720 g	720 - 850 g	850 - 975 g	975 - 1095 g
	7	35 - 75 g	75 - 120 g	120 - 185 g	185 - 235 g	235 - 405 g	405 - 550 g	550 - 690 g	690 - 815 g	815 - 930 g	930 - 1045 g
	9	30 - 65 g	65 - 110 g	110 - 165 g	165 - 205 g	205 - 385 g	385 - 520 g	520 - 650 g	650 - 765 g	765 - 880 g	880 - 985 g
	12	30 - 65 g	65 - 110 g	110 - 145 g	145 - 180 g	180 - 325 g	325 - 465 g	465 - 575 g	575 - 680 g	680 - 780 g	780 - 875 g
	15	30 - 65 g	65 - 110 g	110 - 145 g	145 - 180 g	180 - 305 g	305 - 415 g	415 - 545 g	545 - 645 g	645 - 695 g	695 - 830 g


**SANIMED**  
VETERINARY NUTRITION



Analytical constituents	SANIMED Junior				
	dry food				
	% product	% dry matter	per 100 kcal	per MJ	
Crude protein	22.80	24.78	5.92 g	14.10 g	
Crude fat	11.40	12.39	2.96 g	7.05 g	
Crude fibre	2.30	2.50	0.60 g	1.42 g	
Crude ash	5.00	5.44	1.30 g	3.09 g	
Moisture	8.00	0.00	2.08 g	4.95 g	
Carbohydrates	50.50	54.89	13.11 g	31.22 g	
Calcium	0.71	0.78	0.18 g	0.44 g	
Phosphorus	0.55	0.60	0.14 g	0.34 g	
Sodium	0.19	0.21	0.05 g	0.12 g	
Magnesium	0.10	0.11	0.03 g	0.06 g	
Potassium	0.60	0.65	0.16 g	0.37 g	
Chloride	0.41	0.45	0.11 g	0.25 g	
Lysine	1.20	1.30	0.31 g	0.74 g	
Methionine	0.44	0.48	0.11 g	0.27 g	
Cysteine	0.30	0.32	0.08 g	0.18 g	
Threonine	0.78	0.85	0.20 g	0.48 g	
Tryptophane	0.21	0.23	0.05 g	0.13 g	
Linoleic acid	1.86	2.02	0.48 g	1.15 g	
Alpha-Linolenic acid	0.26	0.28	0.07 g	0.16 g	
Arachidonic acid	0.02	0.02	0.005 g	0.012 g	
EPA	0.14	0.15	0.04 g	0.09 g	
DHA	0.14	0.15	0.04 g	0.09 g	
<b>Additives per kg</b>		<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>
<b>Nutritional additives</b>					
Vitamin A (retinyl acetate)	IU	11500.00	12500.00	298.63	711.02
Vitamin D3 (cholecalciferol)	IU	1150.00	1250.00	29.86	71.10
Vitamin E (DL alpha-tocopherol acetate)	IU	250.00	271.74	6.49	15.46
Vitamin K3	mg	1.20	1.30	0.03	0.07
Thiamine B1	mg	5.40	5.87	0.14	0.33
Riboflavin B2	mg	8.10	8.80	0.21	0.50
Niacin	mg	33.75	36.68	0.88	2.09
Pantothenic acid	mg	15.00	16.30	0.39	0.93
Pyroxide B6	mg	3.00	3.26	0.08	0.19
Vitamin B12	mg	0.05	0.05	0.001	0.003
Biotin	mg	0.30	0.33	0.01	0.02
Cholin chloride	mg	606.00	658.70	15.74	37.47
Folic acid	mg	0.75	0.82	0.02	0.05
Vitamin C	mg	100.00	108.70	2.60	6.18
Iron (iron II sulphate monohydrate)	mg	57.00	61.96	1.48	3.52
Manganese (manganese II oxide)	mg	21.00	22.83	0.55	1.30
Copper (copper II sulphate pentahydrate)	mg	10.00	10.87	0.26	0.62
Zinc (zinc sulphate monohydrate)	mg	100.00	108.70	2.60	6.18
Iodine (calcium iodate, anhydrous)	mg	1.00	1.09	0.03	0.06
Selenium (sodium selenite)	mg	0.20	0.22	0.005	0.012
L-lysine	mg	800.00	869.57	20.77	49.46
DL-methionine	mg	100.00	108.70	2.60	6.18
<b>Ratio Omega-3 : Omega-6</b>		1 : 3.64			
<b>Metabolisable energy</b>	<b>MJ/kg</b>	16.17			
	<b>kcal/kg</b>	3851.00			

**Composition**

corn, rice, dehydrated poultry, barley, dried beet pulp, animal fat (beef, poultry), dehydrated fish, whole egg powder, corn gluten, yeast, dehydrated lamb, fish oil (salmon oil), hydrolysed chicken liver, dehydrated haemoglobin, minerals, linseed oil, fructooligosaccharides (FOS) and plant extracts



# SANIMED Adult



SANIMED Adult is available  
in packs of 3 kg and 12.5 kg

## Specifications

- offers good support for the body in the adult stage
- supports prevention of common diseases
- beneficial after spaying or neutering

Small breeds: from 9 months to 7 years old  
Medium-sized breeds: from 11 months to 6 years old  
Large breeds: from 16 months to 5 years old

### Good stool


SANIMED Adult is formulated to meet the nutritional demands of adult dogs of all breeds. In this life stage there is no growth but the physical condition must be monitored more closely. The additional raw fibre, part of which is moderately fermentable, promotes the integrity of the colonic mucosa and stimulates bowel motility and the excretion of well-formed stools.

### Immune system

SANIMED Adult is rich in the polyunsaturated fatty acids of the omega-3 group: eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA). Combined with the high vitamin E content, a high intake of EPA will stimulate the immune functions in adult dogs.

Feeding schedule SANIMED Adult dry food											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
	25 - 50 g	50 - 85 g	85 - 115 g	115 - 140 g	140 - 240 g	240 - 325 g	325 - 405 g	405 - 475 g	475 - 545 g	545 - 615 g	615 - 675 g
Low activity (< 1 h/day), based on FEDIAF nutritional guidelines.											
	30 - 60 g	60 - 100 g	100 - 135 g	135 - 165 g	165 - 275 g	275 - 375 g	375 - 465 g	465 - 550 g	550 - 630 g	630 - 710 g	710 - 785 g
Moderate activity (1 - 3 h/day), based on FEDIAF nutritional guidelines.											
	45 - 85 g	85 - 145 g	145 - 195 g	195 - 245 g	245 - 410 g	410 - 555 g	555 - 690 g	690 - 815 g	815 - 935 g	935 - 1045 g	1045 - 1155 g
High activity (> 3 h/day), based on FEDIAF nutritional guidelines.											


**SANIMED**  
VETERINARY NUTRITION



Analytical constituents	SANIMED Adult				
	dry food				
	% product	% dry matter	per 100 kcal		per MJ
Crude protein	20.80	22.61	5.56	g	13.24 g
Crude fat	10.30	11.20	2.75	g	6.55 g
Crude fibre	3.50	3.80	0.94	g	2.23 g
Crude ash	5.10	5.54	1.36	g	3.25 g
Moisture	8.00	0.00	2.14	g	5.09 g
Carbohydrates	52.30	56.85	13.98	g	33.28 g
Calcium	0.70	0.76	0.19	g	0.45 g
Phosphorus	0.50	0.54	0.13	g	0.32 g
Sodium	0.15	0.16	0.04	g	0.10 g
Magnesium	0.10	0.11	0.03	g	0.06 g
Potassium	0.60	0.65	0.16	g	0.38 g
Chloride	0.30	0.33	0.08	g	0.19 g
Sulphur	1.30	1.41	0.35	g	0.83 g
Methionine	0.45	0.49	0.12	g	0.29 g
Cysteine	0.30	0.32	0.08	g	0.19 g
Threonine	0.78	0.85	0.21	g	0.50 g
Tryptophan	0.20	0.22	0.05	g	0.13 g
Linoleic acid	1.64	1.78	0.44	g	1.04 g
Alpha-Linolenic acid	0.31	0.34	0.08	g	0.20 g
Arachidonic acid	0.02	0.02	0.005	g	0.013 g
EPA	0.23	0.25	0.06	g	0.15 g
DHA	0.24	0.26	0.06	g	0.15 g
<b>Additives per kg</b>		<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>
<b>Nutritional additives</b>					
Vitamin A (retinyl acetate)	IU	11500.00	12500.00	307.35	731.78
Vitamin D3 (cholecalciferol)	IU	1150.00	1250.00	30.73	73.18
Vitamin E (DL alpha-tocoferol acetate)	IU	500.00	543.48	13.36	31.82
Vitamin K3	mg	1.20	1.30	0.03	0.08
Thiamine B1	mg	5.50	5.98	0.15	0.35
Riboflavin B2	mg	8.30	9.02	0.22	0.53
Niacin	mg	33.75	36.68	0.90	2.15
Pantothenic acid	mg	15.00	16.30	0.40	0.95
Pyroxide B6	mg	3.00	3.26	0.08	0.19
Vitamin B12	mg	0.05	0.05	0.001	0.003
Biotin	mg	0.30	0.33	0.01	0.02
Cholin chloride	mg	606.00	658.70	16.20	38.56
Folic acid	mg	0.75	0.82	0.02	0.05
Vitamin C	mg	100.00	108.70	2.67	6.36
Iron (iron II sulphate monohydrate)	mg	57.00	61.96	1.52	3.63
Manganese (manganese II oxide)	mg	21.00	22.83	0.56	1.34
Copper (copper II sulphate pentahydrate)	mg	10.00	10.87	0.27	0.64
Zinc (zinc sulphate monohydrate)	mg	100.00	108.70	2.67	6.36
Iodine (calcium iodate, anhydrous)	mg	1.00	1.09	0.03	0.06
Selenium (sodium selenite)	mg	0.20	0.22	0.005	0.013
L-lysine	mg	3100.00	3369.57	82.85	197.26
DL-methionine	mg	800.00	869.57	21.38	50.91
<b>Ratio Omega-3 : Omega-6</b>		1 : 2.17			
<b>Metabolisable energy</b>	<b>MJ/kg</b>	15.72			
	<b>kcal/kg</b>	3742.00			

**Composition**

rice, corn, barley, dehydrated poultry, dried beet pulp, animal fat (poultry, beef), fish oil (salmon oil), dehydrated fish, yeast, dehydrated lamb, corn gluten, whole egg powder, hydrolysed chicken liver, dehydrated haemoglobin, minerals, cellulose, linseed oil, fructooligosaccharides (FOS) and plant extracts



# SANIMED Senior



SANIMED Senior is available in packs of 3 kg and 12.5 kg

## Specifications

- offers good support for the body during the senior stage
- helps to reduce the risk of major diseases
- relieves stress on liver and kidneys due to its lower protein and phosphorus content

Small breeds: from 8 years onwards

Medium-sized breeds: from 7 years onwards

Large breeds: from 6 years onwards

### Long and healthy life


SANIMED Senior is formulated to promote a long and healthy canine life. This food is adapted to the aging dog and considers the deterioration of its functions. SANIMED Senior's additional fatty acids with extended chain compensates for the older dog's reduced ability to extend omega-3 fatty acids. The reduction of the vitamin E in the body is counteracted by the additional availability of this vitamin.

### Intestinal motility

The high content of moderately fermentable crude fibre stimulates gastric motility, which tends to reduce with age, and promotes excretion of the stool.

Feeding schedule SANIMED Senior dry food											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
	25 - 50 g	50 - 85 g	85 - 115 g	115 - 145 g	145 - 245 g	245 - 330 g	330 - 410 g	410 - 485 g	485 - 555 g	555 - 620 g	620 - 685 g
Low activity (< 1 h/day), based on FEDIAF nutritional guidelines.											
	30 - 60 g	60 - 100 g	100 - 135 g	135 - 165 g	165 - 280 g	280 - 380 g	380 - 470 g	470 - 560 g	555 - 640 g	640 - 720 g	720 - 795 g
Moderate activity (1 - 3 h/day), based on FEDIAF nutritional guidelines.											
	45 - 85 g	85 - 145 g	145 - 200 g	200 - 245 g	245 - 415 g	415 - 560 g	560 - 700 g	700 - 825 g	825 - 945 g	945 - 1060 g	1060 - 1175 g
High activity (> 3 h/day), based on FEDIAF nutritional guidelines.											


**SANIMED**  
VETERINARY NUTRITION



Analytical constituents	SANIMED Senior				
	dry food				
	% product	% dry matter	per 100 kcal	per MJ	
Crude protein	17.00	18.48	4.61 g	10.97 g	
Crude fat	9.60	10.44	2.60 g	6.19 g	
Crude fibre	3.90	4.24	1.06 g	2.52 g	
Crude ash	4.90	5.33	1.33 g	3.16 g	
Moisture	8.00	0.00	2.17 g	5.16 g	
Carbohydrates	56.60	61.52	15.34 g	36.52 g	
Calcium	0.68	0.74	0.18 g	0.44 g	
Phosphorus	0.44	0.48	0.12 g	0.28 g	
Sodium	0.12	0.13	0.03 g	0.08 g	
Magnesium	0.10	0.11	0.03 g	0.06 g	
Potassium	0.60	0.65	0.16 g	0.39 g	
Chloride	0.30	0.33	0.08 g	0.19 g	
Lysine	0.84	0.92	0.23 g	0.54 g	
Methionine	0.31	0.34	0.08 g	0.20 g	
Cysteine	0.27	0.30	0.07 g	0.18 g	
Threonine	0.61	0.67	0.17 g	0.40 g	
Tryptophan	0.18	0.20	0.05 g	0.12 g	
Linoleic acid	1.51	1.64	0.41 g	0.97 g	
Alpha-Linolenic acid	0.19	0.21	0.05 g	0.12 g	
Arachidonic acid	0.02	0.02	0.005 g	0.013 g	
EPA	0.26	0.28	0.07 g	0.17 g	
DHA	0.26	0.28	0.07 g	0.17 g	
Additives per kg	product	dry matter	per 100 kcal	per MJ	
Nutritional additives					
Vitamin A (retinyl acetate)	IU	11500.00	12500.00	311.65	742.03
Vitamin D3 (cholecalciferol)	IU	1150.00	1250.00	31.17	74.20
Vitamin E (DL alpha-tocoferol acetate)	IU	600.00	652.17	16.26	38.71
Vitamin K3	mg	1.20	1.30	0.03	0.08
Thiamine B1	mg	5.50	5.98	0.15	0.35
Riboflavin B2	mg	8.30	9.02	0.22	0.54
Niacin	mg	33.75	36.68	0.91	2.18
Pantothenic acid	mg	15.00	16.30	0.41	0.97
Pyroxide B6	mg	3.00	3.26	0.08	0.19
Vitamin B12	mg	0.05	0.05	0.001	0.003
Biotin	mg	0.30	0.33	0.01	0.02
Cholin chloride	mg	606.00	658.70	16.42	39.10
Folic acid	mg	0.80	0.87	0.02	0.05
Vitamin C	mg	100.00	108.70	2.71	6.45
Iron (iron II sulphate monohydrate)	mg	57.00	61.96	1.54	3.68
Manganese (manganese II oxide)	mg	21.00	22.83	0.57	1.36
Copper (copper II sulphate pentahydrate)	mg	10.00	10.87	0.27	0.65
Zinc (zinc sulphate monohydrate)	mg	100.00	108.70	2.71	6.45
Iodine (calcium iodate, anhydrous)	mg	1.00	1.09	0.03	0.06
Selenium (sodium selenite)	mg	0.20	0.22	0.005	0.013
Ratio Omega-3 : Omega-6		1 : 2.16			
Metabolisable energy	MJ/kg kcal/kg	15.50 3690.00			

**Composition**

barley, rice, dehydrated poultry, dried beet pulp, animal fat (poultry), fish oil (salmon oil), yeast, dehydrated lamb, dehydrated fish, whole egg powder, hydrolysed chicken liver, minerals, fructooligosaccharides (FOS) and plant extracts



# SANIMED Anti-Struvite



SANIMED Anti-Struvite is available in packs of 3 kg and 12.5 kg

## Specifications

- helps to dissolve struvite and prevents its formation due to its acidifying effect
- lowers magnesium concentration in the urine due to its low magnesium content
- lowers the phosphate concentration in urine due to its low amount of available phosphorus
- lowers the ammonia concentration in urine due to its low protein content
- helps to counteract the formation of calcium oxalate due to its low calcium and protein content



### Dissolving and reducing struvite formation


Part of the treatment of patients with struvite urolithiasis is providing a suitable diet that dissolves existing struvite crystals and stones and prevents recurrence of struvite formation.

The purpose of the diet is to change the composition of the urine so its pH becomes lower than 6.5 and to decrease the concentrations of struvite components. SANIMED Anti-

Struvite induces an average urinary pH of 6.1. This urine pH value will help to prevent the formation of struvite as well as further dissolve the struvite that may already be present. Additionally, SANIMED Anti-Struvite has a low, yet adequate levels of magnesium, phosphorus, and protein content that will cause low urine concentrations of magnesium, ammonium and phosphate.

Feeding schedule SANIMED Anti-Struvite dry food											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
	25 - 45 g	45 - 75 g	75 - 105 g	105 - 125 g	125 - 215 g	215 - 290 g	290 - 360 g	410 - 485 g	485 - 555 g	555 - 620 g	620 - 685 g
	Low activity (< 1 h/day), based on FEDIAF nutritional guidelines.										
	25 - 50 g	50 - 85 g	85 - 120 g	120 - 145 g	145 - 245 g	245 - 335 g	335 - 415 g	470 - 560 g	555 - 640 g	640 - 720 g	720 - 795 g
	Moderate activity (1 - 3 h/day), based on FEDIAF nutritional guidelines.										
	40 - 75 g	75 - 130 g	130 - 175 g	175 - 215 g	215 - 365 g	365 - 495 g	495 - 615 g	700 - 825 g	825 - 945 g	945 - 1060 g	1060 - 1175 g
	High activity (> 3 h/day), based on FEDIAF nutritional guidelines.										

**SANIMED**  
VETERINARY NUTRITION



Analytical constituents		SANIMED Anti-Struvite			
		dry food			
		% product	% dry matter	per 100 kcal	per MJ
Crude protein		17.00	18.48	4.06 g	9.67 g
Crude fat		18.00	19.57	4.30 g	10.24 g
Crude fibre		2.50	2.72	0.60 g	1.42 g
Crude ash		4.30	4.67	1.03 g	2.45 g
Moisture		8.00	0.00	1.91 g	4.55 g
Carbohydrates		50.20	54.57	11.99 g	28.55 g
Calcium		0.40	0.44	0.10 g	0.23 g
Phosphorus		0.40 *	0.44	0.10 g	0.23 g
Sodium		0.10	0.11	0.02 g	0.06 g
Magnesium		0.06	0.07	0.01 g	0.03 g
Potassium		0.60	0.65	0.14 g	0.34 g
Chloride		1.30	1.41	0.31 g	0.74 g
Lysine		1.00	1.09	0.24 g	0.57 g
Methionine		0.40	0.44	0.10 g	0.23 g
Cysteine		0.20	0.22	0.05 g	0.11 g
Threonine		0.51	0.56	0.12 g	0.29 g
Tryptophan		0.15	0.16	0.04 g	0.09 g
Linoleic acid		2.50	2.72	0.60 g	1.42 g
Alpha-Linolenic acid		0.23	0.25	0.05 g	0.13 g
Arachidonic acid		0.02	0.02	0.005 g	0.011 g
EPA		0.10	0.11	0.02 g	0.06 g
DHA		0.10	0.11	0.02 g	0.06 g
Sulphur		0.17	0.19	0.04 g	0.10 g
Additives per kg		product	dry matter	per 100 kcal	per MJ
Nutritional additives					
Vitamin A (retinyl acetate)	IU	11250.00	12228.26	268.74	639.86
Vitamin D3 (cholecalciferol)	IU	1125.00	1222.83	26.87	63.99
Vitamin E (DL alpha-tocoferol acetate)	IU	400.00	434.78	9.56	22.75
Vitamin K3	mg	1.20	1.30	0.03	0.07
Thiamine B1	mg	5.40	5.87	0.13	0.31
Riboflavin B2	mg	8.10	8.80	0.19	0.46
Niacin	mg	34.00	36.96	0.81	1.93
Pantothenic acid	mg	15.00	16.30	0.36	0.85
Pyroxide B6	mg	3.00	3.26	0.07	0.17
Vitamin B12	mg	0.05	0.05	0.001	0.003
Biotin	mg	0.30	0.33	0.01	0.02
Cholin chloride	mg	606.00	658.70	14.48	34.47
Folic acid	mg	0.75	0.82	0.02	0.04
Vitamin C	mg	15.00	16.30	0.36	0.85
Iron (iron II sulphate monohydrate)	mg	57.00	61.96	1.36	3.24
Manganese (manganese II oxide)	mg	21.00	22.83	0.50	1.19
Copper (copper II sulphate pentahydrate)	mg	10.00	10.87	0.24	0.57
Zinc (zinc sulphate monohydrate)	mg	100.00	108.70	2.39	5.69
Iodine (calcium iodate, anhydrous)	mg	1.00	1.09	0.02	0.06
Selenium (sodium selenite)	mg	0.20	0.22	0.005	0.011
L-lysine	mg	2600.00	2826.09	62.11	147.88
DL-methionine	mg	1300.00	1413.04	31.05	73.94
Technological additives					
Ammonium chloride	mg	12900.00	14021.74	308.16	733.70
Potassium citrate	mg	5000.00	5434.78	119.44	284.38
Ratio Omega-3 : Omega-6		1 : 5.86			
Metabolisable energy		MJ/kg	17.58		
		kcal/kg	4186.00		
* available phosphor 3.0 g					

**Composition**

barley, corn starch, animal fat (poultry, beef), rice, dehydrated poultry, extract of animal protein, vegetable fat, whole egg powder, fish oil (salmon oil), hydrolysed chicken liver, yeast, cellulose, minerals

# SANIMED Atopy/Sensitive

## Hydrolysed protein



SANIMED Atopy/Sensitive is available in packs of 400 grams (sausage), 3 kg and 12.5 kg

### Specifications

- helps to reduce symptoms of atopy, flea allergy and food hypersensitivity
- contributes to the alleviation of inflammations, skin redness and itching, due to its fish oil (5%) and borage oil (0.5%)
- reduces allergic reactions to food, due to the hydrolysed animal proteins
- SANIMED Atopy/Sensitive dry and wet foods are fully interchangeable and can be combined very well
- suitable from 6 months of age



### Atopy

Atopy and food hypersensitivity often occur simultaneously and have similar clinical symptoms. Using hydrolysed protein sources greatly reduces the risk of allergic reactions. Treatment of atopic dermatitis aims to suppress chronic inflammatory skin reactions. Eicosanoids formed from di-homo-gamma linoleic acids and eicosapentaenoic acid (EPA) have anti-inflammatory properties.

### High digestibility

The digestibility of hydrolysed protein is higher than that of intact proteins. This makes hydrolysed proteins very useful in the treatment of gastrointestinal symptoms.


Feeding schedule SANIMED Atopy/Sensitive dry food											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
<b>Months</b>											
24h: g	6	35 - 65 g	65 - 135 g	135 - 180 g	180 - 250 g	250 - 420 g	420 - 565 g	565 - 705 g	705 - 770 g	-	-
	9	30 - 55 g	55 - 105 g	105 - 145 g	145 - 200 g	200 - 375 g	375 - 510 g	510 - 635 g	635 - 730 g	750 - 805 g	-
	12	*	*	105 - 145 g	145 - 180 g	180 - 315 g	315 - 455 g	455 - 565 g	565 - 665 g	665 - 765 g	765 - 810 g
	15	*	*	*	*	*	*	405 - 535 g	535 - 630 g	630 - 680 g	680 - 855 g
<i>* In this age group please use the feeding schedule below</i>											
24h: g		25 - 50 g	50 - 80 g	80 - 110 g	110 - 135 g	135 - 230 g	230 - 310 g	310 - 385 g	385 - 450 g	450 - 520 g	520 - 580 g
<i>Low activity (&lt; 1 h/day), based on FEDIAF nutritional guidelines.</i>											
24h: g		30 - 55 g	55 - 95 g	95 - 125 g	125 - 155 g	155 - 265 g	265 - 355 g	355 - 440 g	440 - 525 g	525 - 600 g	600 - 675 g
<i>Moderate activity (1 - 3 h/day), based on FEDIAF nutritional guidelines.</i>											
24h: g		40 - 80 g	80 - 135 g	135 - 185 g	185 - 230 g	230 - 390 g	390 - 525 g	525 - 655 g	655 - 775 g	775 - 885 g	885 - 995 g
<i>High activity (&gt; 3 h/day), based on FEDIAF nutritional guidelines.</i>											
Feeding schedule SANIMED Atopy/Sensitive wet food **											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
24h: g		50 - 95 g	95 - 165 g	165 - 220 g	220 - 275 g	275 - 465 g	465 - 625 g	625 - 780 g	780 - 920 g	920 - 1055 g	1055 - 1185 g
<i>Low activity (&lt; 1 h/day), based on FEDIAF nutritional guidelines.</i>											
24h: g		55 - 110 g	110 - 190 g	190 - 255 g	255 - 320 g	320 - 535 g	535 - 725 g	725 - 900 g	900 - 1065 g	1065 - 1220 g	1220 - 1370 g
<i>Moderate activity (1 - 3 h/day), based on FEDIAF nutritional guidelines.</i>											
24h: g		85 - 165 g	165 - 280 g	280 - 380 g	380 - 470 g	470 - 790 g	790 - 1070 g	1070 - 1330 g	1330 - 1570 g	1570 - 1800 g	1800 - 2020 g
<i>High activity (&gt; 3 h/day), based on FEDIAF nutritional guidelines.</i>											

\*\* SANIMED Atopy/Sensitive dry food and wet food are fully interchangeable (100 grams of dry food is equivalent to approx. 200 grams of wet food)

Analytical constituents	SANIMED Atopy/Sensitive								
	dry food				wet food				
	% product	% dry matter	per 100 kcal	per MJ	% product	% dry matter	per 100 kcal	per MJ	
Crude protein	22.50	24.46	5.71 g	13.60 g	11.10	28.24	5.78 g	13.77 g	
Crude fat	15.30	16.63	3.88 g	9.25 g	11.40	29.01	5.94 g	14.14 g	
Crude fibre	4.40	4.78	1.12 g	2.66 g	1.60	4.07	0.83 g	1.98 g	
Crude ash	5.70	6.20	1.45 g	3.45 g	2.50	6.36	1.30 g	3.10 g	
Moisture	8.00	0.00	2.03 g	4.84 g	60.70	0.00	31.62 g	75.92 g	
Carbohydrates	44.10	47.94	11.20 g	26.66 g	12.70	32.32	6.62 g	15.75 g	
Calcium	0.90	0.98	0.23 g	0.54 g					
Phosphorus	0.70	0.76	0.18 g	0.42 g					
Sodium	0.15	0.16	0.04 g	0.09 g					
Magnesium	0.10	0.11	0.03 g	0.06 g					
Potassium	0.60	0.65	0.15 g	0.36 g					
Lysine	1.55	1.69	0.39 g	0.94 g					
Methionine	0.56	0.61	0.14 g	0.34 g					
Cysteine	0.28	0.30	0.07 g	0.17 g					
Threonine	0.70	0.76	0.18 g	0.42 g					
Tryptophan	0.24	0.26	0.06 g	0.15 g					
Linoleic acid	1.50	1.63	0.38 g	0.91 g	0.75	3.00	0.39 g	0.93 g	
Alpha-Linolenic acid	0.40	0.44	0.10 g	0.24 g	0.20	0.80	0.10 g	0.25 g	
Arachidonic acid	0.05	0.05	0.013 g	0.03 g	0.02	0.08	0.01 g	0.02 g	
EPA	0.50	0.54	0.13 g	0.30 g	0.25	1.00	0.13 g	0.31 g	
DHA	0.50	0.54	0.13 g	0.30 g	0.25	1.00	0.13 g	0.31 g	
γ-Linolenic acid	0.09	0.10	0.02 g	0.05 g	0.05	0.20	0.03 g	0.06 g	
<b>Additives per kg</b>	<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>	<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>	
Nutritional additives									
Vitamin A (retinyl acetate)	IU	10125.00	11005.43	257.07	612.08	11000.00	44000.00	573.06	1364.43
Vitamin D3 (cholecalciferol)	IU	1012.00	1100.00	25.69	61.18	1100.00	4400.00	57.31	136.44
Vitamin E (DL alpha-tocopherol acetate)	IU	600.00	652.17	15.23	36.27	60.00	240.00	3.13	7.44
Vitamine K3	mg	1.10	1.20	0.03	0.07				
Thiamine B1	mg	4.90	5.33	0.12	0.30				
Riboflavin B2	mg	7.30	7.93	0.19	0.44				
Niacin	mg	30.00	32.61	0.76	1.81				
Pantothenic acid	mg	13.50	14.67	0.34	0.82				
Pyroxide B6	mg	2.70	2.93	0.07	0.16				
Vitamin B12	mg	0.04	0.04	0.001	0.002				
Biotin	mg	0.27	0.29	0.01	0.02				
Cholin chloride	mg	545.00	592.39	13.84	32.95				
Folic acid	mg	0.68	0.74	0.02	0.04				
Vitamin C	mg	458.00	497.83	11.63	27.69				
Iron (iron II sulphate monohydrate)	mg	51.00	55.43	1.29	3.08	56.00	224.00	2.92	6.95
Manganese (manganese II oxide)	mg	19.00	20.65	0.48	1.15	37.00	148.00	1.93	4.59
Copper (copper II sulphate pentahydrate)	mg	9.00	9.78	0.23	0.54				
Zinc (zinc sulphate monohydrate)	mg	90.00	97.83	2.29	5.44	56.00	224.00	2.92	6.95
Iodine (calcium iodate, anhydrous)	mg	1.00	1.09	0.03	0.06	1.40	5.60	0.07	0.17
Selenium (sodium selenite)	mg	0.20	0.22	0.005	0.012	0.20	0.80	0.01	0.02
L-lysine	mg	150.00	163.04	3.81	9.07				
<b>Ratio Omega-3 : Omega-6</b>	1 : 1.24								
<b>Metabolisable energy</b>	<b>MJ/kg</b>	16.54				8.06			
	<b>kcal/kg</b>	3939.00				1920.00			

**Composition**

dry food: rice (52%), hydrolysed fish (12%), potato protein, animal fat (poultry), fish oil (salmon oil), dried beet pulp, minerals, cellulose, borage oil, hydrolysed chicken liver (0.4%), linseed oil  
wet food: rice (11.5%), hydrolysed fish (11%), animal fat, fish oil (salmon oil), cellulose, hydrolysed chicken liver, minerals, borage oil



# SANIMED Cardiac

## Improved cardiac function

SANIMED Cardiac is enriched with fish oil (5%), L-carnitine (0,075%) and taurine (0,15%).

Research has revealed that fish oil has a specific and significant protective effect against induced cardiac arrhythmia and a beneficial effect on dogs with spontaneous cardiac arrhythmia.

Dogs with cardiomyopathy that is associated with a low carnitine concentration in the cardiac muscle, show improvement after supplementation with carnitine. Research indicates that cardiac function improves and length of survival increases if dogs with cardiomyopathy and low plasma levels of taurine receive a supplement consisting of a combination of taurine and carnitine. The ideal levels of taurine and L-carnitine for the treatment of cardiomyopathy with dry diet food are 0.15% and 0.075%, respectively



SANIMED Cardiac is available  
in packs of 3 kg and 12.5 kg

## Specifications

- strengthens heart muscle contraction, due to its taurine content
- supports energy supply to the heart muscle, due to its L-carnitine content
- helps to counteract weight and muscle loss
- enriched with fish oil
- helps to protect against cardiac arrhythmia



HEALTHY HEART  
FUNCTION



IDEAL  
BODYWEIGHT



SALMON OIL

Feeding schedule SANIMED Cardiac dry food												
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +	
	25 - 50 g	50 - 80 g	80 - 110 g	110 - 135 g	135 - 230 g	230 - 310 g	310 - 385 g	385 - 455 g	455 - 525 g	525 - 590 g	590 - 650 g	
Low activity (< 1 h/day), based on FEDIAF nutritional guidelines.												
	30 - 55 g	55 - 95 g	95 - 125 g	125 - 160 g	160 - 265 g	265 - 360 g	360 - 445 g	445 - 530 g	530 - 605 g	605 - 680 g	680 - 750 g	
Moderate activity (1 - 3 h/day), based on FEDIAF nutritional guidelines.												
	40 - 80 g	80 - 140 g	140 - 190 g	190 - 235 g	235 - 390 g	390 - 530 g	530 - 660 g	660 - 780 g	780 - 895 g	895 - 1005 g	1005 - 1110 g	
High activity (> 3 h/day), based on FEDIAF nutritional guidelines.												


**SANIMED**  
VETERINARY NUTRITION



Analytical constituents	SANIMED Cardiac				
	dry food				
	% product	% dry matter	per 100 kcal	per MJ	
Crude protein	23.00	25.00	5.89 g	14.03 g	
Crude fat	15.00	16.30	3.84 g	9.15 g	
Crude fibre	4.20	4.57	1.08 g	2.56 g	
Crude ash	6.50	7.07	1.67 g	3.97 g	
Moisture	8.00	0.00	2.05 g	4.88 g	
Carbohydrates	43.30	47.07	11.10 g	26.42 g	
Calcium	0.90	0.98	0.23 g	0.55 g	
Phosphorus	0.70	0.76	0.18 g	0.43 g	
Sodium	0.12	0.13	0.03 g	0.07 g	
Magnesium	0.10	0.11	0.03 g	0.06 g	
Potassium	0.70	0.76	0.18 g	0.43 g	
Lysine	1.54	1.67	0.39 g	0.94 g	
Methionine	0.55	0.60	0.14 g	0.34 g	
Cysteine	0.30	0.33	0.08 g	0.18 g	
Threonine	1.00	1.09	0.26 g	0.61 g	
Tryptophan	0.26	0.28	0.07 g	0.16 g	
Linoleic acid	1.60	1.74	0.41 g	0.98 g	
Alpha-Linolenic acid	0.30	0.33	0.08 g	0.18 g	
Arachidonic acid	0.05	0.05	0.013 g	0.03 g	
EPA	0.50	0.54	0.13 g	0.31 g	
DHA	0.50	0.54	0.13 g	0.31 g	
Total taurine	0.15	0.16	0.04 g	0.09 g	
<b>Additives per kg</b>		<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>
<b>Nutritional additives</b>					
Vitamin A (retinyl acetate)	IU	10125.00	11005.43	259.49	617.83
Vitamin D3 (cholecalciferol)	IU	1012.00	1100.00	25.94	61.75
Vitamin E (DL alpha-tocoferol acetate)	IU	600.00	652.17	15.38	36.61
Vitamin K3	mg	1.10	1.20	0.03	0.07
Thiamine B1	mg	4.90	5.33	0.13	0.30
Riboflavin B2	mg	7.30	7.93	0.19	0.45
Niacin	mg	30.00	32.61	0.77	1.83
Pantothenic acid	mg	13.50	14.67	0.35	0.82
Pyroxide B6	mg	2.70	2.93	0.07	0.16
Vitamin B12	mg	0.04	0.04	0.001	0.002
Biotin	mg	0.27	0.29	0.01	0.02
Cholin chloride	mg	545.00	592.39	13.97	33.26
Folic acid	mg	0.70	0.76	0.02	0.04
Vitamin C	mg	458.00	497.83	11.74	27.95
Iron (iron II sulphate monohydrate)	mg	51.00	55.43	1.31	3.11
Manganese (manganese II oxide)	mg	19.00	20.65	0.49	1.16
Copper (copper II sulphate pentahydrate)	mg	9.00	9.78	0.23	0.55
Zinc (zinc sulphate monohydrate)	mg	90.00	97.83	2.31	5.49
Iodine (calcium iodate, anhydrous)	mg	1.00	1.09	0.03	0.06
Selenium (sodium selenite)	mg	0.20	0.22	0.005	0.012
L-carnitine	mg	750.00	815.22	19.22	45.77
Taurine	mg	1300.00	1413.04	33.32	79.33
<b>Ratio Omega-3 : Omega-6</b>		1 : 0.97			
<b>Metabolisable energy</b>	<b>MJ/kg</b>	16.39			
	<b>kcal/kg</b>	3902.00			

**Composition**

rice, dehydrated fish, potato protein, animal fat (poultry), fish oil (salmon oil), dried beet pulp, minerals, cellulose, hydrolysed chicken liver, linseed oil



# SANIMED Hypoallergenic DR



SANIMED Hypoallergenic DR is available in packs of 400 grams (sausage), 3 kg and 12.5 kg

## Specifications

- helps to reduce allergic food reactions, due to its single source of animal protein (duck) and hypoallergenic vegetable protein sources
- supports the treatment of stomach and intestinal diseases, due to its easily digestible protein and starch
- SANIMED Hypoallergenic DR dry and wet foods are fully interchangeable and can be combined very well



### Duck

SANIMED Hypoallergenic DR contains duck as the only animal protein source.

### Food Hypersensitivity

Dogs with food hypersensitivity often have dermatological disorders (pruritus, erythema, oedema, self-mutilation), but can also show gastro-intestinal disorders (vomiting, flatulence, diarrhea).

Food hypersensitivity can only reliably be diagnosed on the basis of elimination and provocation tests.

SANIMED Hypoallergenic DR is available as dry and wet food. SANIMED Hypoallergenic DR sausage has a moisture content of only 63%. Consequently, compared to canned foods with an average moisture content of 80%, this sausage requires lower feeding amounts. SANIMED Hypoallergenic DR dry and wet foods are fully interchangeable with no loss in effectiveness.


Feeding schedule SANIMED Hypoallergenic DR dry food											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
	25 - 45 g	45 - 80 g	80 - 105 g	105 - 130 g	130 - 220 g	220 - 300 g	300 - 375 g	375 - 440 g	440 - 505 g	505 - 570 g	570 - 630 g
Low activity (< 1 h/day), based on FEDIAF nutritional guidelines.											
	25 - 55 g	55 - 90 g	90 - 125 g	125 - 155 g	155 - 255 g	255 - 350 g	350 - 430 g	430 - 510 g	510 - 585 g	585 - 660 g	660 - 725 g
Moderate activity (1 - 3 h/day), based on FEDIAF nutritional guidelines.											
	40 - 80 g	80 - 135 g	135 - 180 g	180 - 225 g	225 - 380 g	380 - 515 g	515 - 640 g	640 - 755 g	755 - 865 g	865 - 970 g	970 - 1075 g
High activity (> 3 h/day), based on FEDIAF nutritional guidelines.											
Feeding schedule SANIMED Hypoallergenic DR wet food *											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
	55 - 110 g	110 - 185 g	185 - 250 g	250 - 310 g	310 - 520 g	520 - 705 g	705 - 875 g	875 - 1035 g	1035 - 1190 g	1190 - 1335 g	1335 - 1475 g
Low activity (< 1 h/day), based on FEDIAF nutritional guidelines.											
	65 - 125 g	125 - 215 g	215 - 290 g	290 - 360 g	360 - 600 g	600 - 815 g	815 - 1015 g	1015 - 1195 g	1195 - 1375 g	1375 - 1540 g	1540 - 1705 g
Moderate activity (1 - 3 h/day), based on FEDIAF nutritional guidelines.											
	95 - 185 g	185 - 315 g	315 - 425 g	425 - 530 g	530 - 890 g	890 - 1205 g	1205 - 1495 g	1495 - 1770 g	1770 - 2030 g	2030 - 2280 g	2280 - 2520 g
High activity (> 3 h/day), based on FEDIAF nutritional guidelines.											

\* SANIMED Hypoallergenic DR dry food and wet food are fully interchangeable (100 grams of dry food is equivalent to approx. 250 grams of wet food)

Analytical constituents		SANIMED Hypoallergenic DR							
		dry food				wet food			
		% product	% dry matter	per 100 kcal	per MJ	% product	% dry matter	per 100 kcal	per MJ
Crude protein		22.00	24.44	5.46 g	13.00 g	9.10	24.53	4.74 g	11.29 g
Crude fat		18.00	20.00	4.47 g	10.63 g	10.20	27.49	5.31 g	12.65 g
Crude fibre		2.00	2.22	0.50 g	1.18 g	0.90	2.43	0.47 g	1.12 g
Crude ash		7.20	8.00	1.79 g	4.25 g	5.00	13.48	2.60 g	6.20 g
Moisture		10.00	0.00	2.48 g	5.91 g	62.90	0.00	32.77 g	78.02 g
Carbohydrates		40.80	45.33	10.12 g	24.10 g	11.90	32.08	6.20 g	14.76 g
Calcium		1.40	1.56	0.35 g	0.83 g				
Phosphorus		1.00	1.11	0.25 g	0.59 g				
Sodium		0.34	0.38	0.08 g	0.20 g				
Magnesium		0.10	0.11	0.02 g	0.06 g				
Potassium		0.60	0.67	0.15 g	0.35 g				
Lysine		1.24	1.38	0.31 g	0.73 g				
Methionine		0.43	0.48	0.11 g	0.25 g				
Cysteine		0.28	0.31	0.07 g	0.17 g				
Threonine		0.85	0.94	0.21 g	0.50 g				
Tryptophan		0.60	0.67	0.15 g	0.35 g				
Linoleic acid		2.10	2.33	0.52 g	1.24 g	0.90	2.43	0.47 g	1.12 g
Alpha-Linolenic acid		0.33	0.37	0.08 g	0.19 g	0.15	0.40	0.08 g	0.19 g
Arachidonic acid		0.01	0.01	0.002 g	0.006 g				
<b>Additives per kg</b>		<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>	<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>
<b>Nutritional additives</b>									
Vitamin A (retinyl acetate)	IU	20000.00	22222.22	496.22	1181.47	10000.00	26954.18	520.96	1240.39
Vitamin D3 (cholecalciferol)	IU	2000.00	2222.22	49.62	118.15	1000.00	2695.42	52.10	124.04
Vitamin E (DL alpha-tocoferol acetate)	IU	400.00	444.44	9.92	23.63	50.00	134.77	2.60	6.20
Vitamin K3	mg	2.20	2.44	0.05	0.13				
Thiamine B1	mg	9.60	10.67	0.24	0.57				
Riboflavin B2	mg	14.40	16.00	0.36	0.85				
Niacin	mg	61.00	67.78	1.51	3.60				
Pantothenic acid	mg	27.00	30.00	0.67	1.59				
Pyroxide B6	mg	5.40	6.00	0.13	0.32				
Vitamin B12	mg	0.08	0.09	0.002	0.005				
Biotin	mg	0.54	0.60	0.01	0.03				
Cholin chloride	mg	1060.00	1177.78	26.30	62.62				
Folic acid	mg	1.40	1.56	0.03	0.08				
Vitamin C	mg	240.00	266.67	5.95	14.18				
Iron (iron II sulphate monohydrate)	mg	100.00	111.11	2.48	5.91	53.00	142.86	2.76	6.57
Manganese (manganese II oxide)	mg	36.00	40.00	0.89	2.13	35.00	94.34	1.82	4.34
Copper (copper II sulphate pentahydrate)	mg	18.00	20.00	0.45	1.06				
Zinc (zinc sulphate monohydrate)	mg	180.00	200.00	4.47	10.63	53.00	142.86	2.76	6.57
Iodine (calcium iodate, anhydrous)	mg	1.80	2.00	0.04	0.11	1.30	3.50	0.07	0.16
Selenium (sodium selenite)	mg	0.36	0.40	0.009	0.021	0.20	0.54	0.01	0.02
<b>Ratio Omega-3 : Omega-6</b>		1 : 6.36							
<b>Metabolisable energy</b>		<b>MJ/kg</b>	16.93			8.06			
		<b>kcal/kg</b>	4030.00			1920.00			

**Composition**

dry food: rice (45%), dehydrated duck (22%), animal fat (beef, poultry), dried beet pulp, minerals, yeast, hydrolysed chicken liver (1%), linseed  
wet food: duck (76%), rice (11%), lamb fat, minerals, cellulose



# SANIMED Hypoallergenic LR



SANIMED Hypoallergenic LR is available in packs of 400 grams (sausage), 3 kg and 12.5 kg

## Specifications

- helps to reduce allergic food reactions, due to its only source of animal protein (lamb) and hypoallergenic vegetable protein sources
- soothes inflammation, redness and itching
- supports the treatment of stomach and intestinal diseases, due to its easily digestible protein and starch
- SANIMED Hypoallergenic LR dry and wet foods are fully interchangeable



## Lamb

SANIMED Hypoallergenic LR contains lamb as the only animal protein source.

## Food Hypersensitivity

Dogs with food hypersensitivity often have dermatological disorders (pruritus, erythema, oedema, self-mutilation), but can also show gastro-intestinal disorders (vomiting, flatulence, diarrhea). Food hypersensitivity can only reliably be diagnosed on the basis of elimination and provocation tests.

SANIMED Hypoallergenic LR is available as dry and wet food. SANIMED Hypoallergenic LR sausage has a moisture content of only 61%. Consequently, compared to canned foods with an average moisture content of 80%, this sausage requires lower feeding amounts. SANIMED Hypoallergenic LR as dry and wet foods are fully interchangeable with no loss in effectiveness.


Feeding schedule SANIMED Hypoallergenic LR dry food											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
 24h 9 g	25 - 50 g	50 - 85 g	85 - 115 g	115 - 140 g	140 - 240 g	240 - 325 g	325 - 400 g	400 - 475 g	475 - 545 g	545 - 610 g	610 - 675 g
Low activity (< 1 h/day), based on FEDIAF nutritional guidelines.											
 24h 9 g	30 - 60 g	60 - 100 g	100 - 130 g	130 - 165 g	165 - 275 g	275 - 375 g	375 - 465 g	465 - 550 g	550 - 630 g	630 - 705 g	705 - 780 g
Moderate activity (1 - 3 h/day), based on FEDIAF nutritional guidelines.											
 24h 9 g	45 - 85 g	85 - 145 g	145 - 195 g	195 - 245 g	245 - 410 g	410 - 555 g	555 - 685 g	685 - 810 g	810 - 930 g	930 - 1045 g	1045 - 1155 g
High activity (> 3 h/day), based on FEDIAF nutritional guidelines.											
Feeding schedule SANIMED Hypoallergenic LR wet food *											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
 24h 9 g	50 - 100 g	100 - 165 g	165 - 225 g	225 - 280 g	280 - 465 g	465 - 635 g	635 - 785 g	785 - 930 g	930 - 1065 g	1065 - 1195 g	1195 - 1320 g
Low activity (< 1 h/day), based on FEDIAF nutritional guidelines.											
 24h 9 g	55 - 115 g	115 - 190 g	190 - 260 g	260 - 320 g	320 - 540 g	540 - 730 g	730 - 910 g	910 - 1075 g	1075 - 1230 g	1230 - 1380 g	1380 - 1525 g
Moderate activity (1 - 3 h/day), based on FEDIAF nutritional guidelines.											
 24h 9 g	85 - 170 g	170 - 280 g	280 - 380 g	380 - 475 g	475 - 800 g	800 - 1080 g	1080 - 1340 g	1340 - 1585 g	1585 - 1820 g	1820 - 2040 g	2040 - 2255 g
High activity (> 3 h/day), based on FEDIAF nutritional guidelines.											

\* SANIMED Hypoallergenic LR dry food and wet food are fully interchangeable (100 grams of dry food is equivalent to approx. 200 grams of wet food)

Analytical constituents	SANIMED Hypoallergenic LR								
	dry food				wet food				
	% product	% dry matter	per 100 kcal	per MJ	% product	% dry matter	per 100 kcal	per MJ	
Crude protein	21.00	22.83	5.59 g	13.32 g	10.70	27.58	5.57 g	13.27 g	
Crude fat	11.00	11.96	2.93 g	6.98 g	11.90	30.67	6.20 g	14.76 g	
Crude fibre	2.40	2.61	0.64 g	1.52 g	0.90	2.32	0.47 g	1.12 g	
Crude ash	6.80	7.39	1.81 g	4.31 g	3.80	9.79	1.98 g	4.71 g	
Moisture	8.00	0.00	2.13 g	5.07 g	61.20	0.00	31.88 g	75.91 g	
Carbohydrates	50.80	55.22	13.53 g	32.22 g	11.50	29.64	5.99 g	14.26 g	
Calcium	1.18	1.28	0.31 g	0.75 g	6.00	15.46	3.13 g	7.44 g	
Phosphorus	0.95	1.03	0.25 g	0.60 g	0.48	1.24	0.25 g	0.60 g	
Sodium	0.25	0.27	0.07 g	0.16 g	0.13	0.34	0.07 g	0.16 g	
Magnesium	0.10	0.11	0.03 g	0.06 g	0.05	0.13	0.03 g	0.06 g	
Potassium	0.60	0.65	0.16 g	0.38 g	0.30	0.77	0.16 g	0.37 g	
Lysine	1.18	1.28	0.31 g	0.75 g					
Methionine	0.41	0.45	0.11 g	0.26 g					
Cysteine	0.26	0.28	0.07 g	0.16 g					
Threonine	0.77	0.84	0.21 g	0.49 g					
Tryptophan	0.19	0.21	0.05 g	0.12 g					
Linoleic acid	1.60	1.74	0.43 g	1.01 g	0.81	2.09	0.42 g	1.00 g	
Alpha-Linolenic acid	0.23	0.25	0.06 g	0.15 g	0.12	0.31	0.06 g	0.15 g	
Arachidonic acid	0.01	0.01	0.002 g	0.006 g					
EPA	0.05	0.05	0.01 g	0.03 g	0.03	0.06	0.01 g	0.03 g	
DHA	0.05	0.05	0.01 g	0.03 g	0.03	0.06	0.01 g	0.03 g	
<b>Additives per kg</b>		product	dry matter	per 100 kcal	per MJ	product	dry matter	per 100 kcal	per MJ
<b>Nutritional additives</b>									
Vitamin A (retinyl acetate)	IU	11250.00	12228.26	299.66	713.47	1300000	33505.15	677.25	1612.50
Vitamin D3 (cholecalciferol)	IU	1125.00	1222.83	29.97	71.35	1300.00	3350.52	67.73	161.25
Vitamin E (DL alpha-tocoferyl acetate)	IU	200.00	217.39	5.33	12.68	65.00	167.53	3.39	8.06
Vitamin K3	mg	1.30	1.41	0.03	0.08				
Thiamine B1	mg	5.40	5.87	0.14	0.34				
Riboflavin B2	mg	8.10	8.80	0.22	0.51				
Niacin	mg	35.40	38.48	0.94	2.25				
Pantothenic acid	mg	15.70	17.07	0.42	1.00				
Pyroxide B6	mg	3.20	3.48	0.09	0.20				
Vitamin B12	mg	0.05	9.05	0.002	0.005				
Biotin	mg	0.31	0.34	0.01	0.02				
Cholin chloride	mg	606.00	658.70	16.14	38.43				
Folic acid	mg	0.80	0.87	0.02	0.05				
Vitamin C	mg	32.00	34.78	0.85	2.03				
Iron (iron II sulphate monohydrate)	mg	57.00	61.96	1.52	3.61	65.00	167.53	3.39	8.06
Manganese (manganese II oxide)	mg	21.00	22.83	0.56	1.33	44.00	113.40	2.29	5.46
Copper (copper II sulphate pentahydrate)	mg	10.50	11.41	0.28	0.67				
Zinc (zinc sulphate monohydrate)	mg	100.00	108.70	2.66	6.34	65.00	167.53	3.39	8.06
Iodine (calcium iodate, anhydrous)	mg	1.10	1.20	0.03	0.07	1.60	4.12	0.08	0.20
Selenium (sodium selenite)	mg	0.20	0.22	0.005	0.013	0.20	0.52	0.01	0.02
L-lysine	mg	1500.00	1630.43	39.95	95.13				
DL-methionine	mg	200.00	217.39	5.33	12.68				
<b>Ratio Omega-3 : Omega-6</b>		1 : 4.85							
<b>Metabolisable energy</b>	MJ/kg kcal/kg	15.77 3754.00				8.06 1920.00			

**Composition**

dry food: rice (30%), corn, dehydrated lamb (20%), dried beet pulp, animal fat (beef), yeast, minerals, sunflower oil, hydrolysed chicken liver (0.7%), fish oil (salmon oil), linseed oil  
wet food: lamb (53%), rice (16%), lamb fat, minerals, cellulose, salmon oil, linseed oil



# SANIMED Osteoarthritis

## Arthritis

The three functional ingredients, fish oil (salmon oil 3.6%), gelatin hydrolysate (2.5%) and beta-1.3/1.6-glucan (0.08%) in SANIMED Osteoarthritis have a demonstrated positive effect on osteoarthritis in dogs.

Fish oil helps delay joint inflammations and the disintegration of the cartilage matrix.

The effective component of fish oil is the omega-3 polyunsaturated fatty acid called eicosapentaenoic acid (EPA). A diet with 2.5% gelatin hydrolysate and 0.08% beta-1.3/1.6-glucan significantly improves mobility and reduces stiffness, lameness and pain.

## Specifications

- helps to fight joint inflammation and cartilage degradation due to its fish oil content (omega-3 fatty acids) and beta-1.3/1.6-glucans
- stimulates the growth of cartilage and helps to slow down the degradation of cartilage, due to the addition of gelatine hydrolizate
- suitable from 6 months of age




SANIMED Osteoarthritis is available in packs of 3 kg and 12.5 kg



Feeding schedule SANIMED Osteoarthritis dry food											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
Months											
24h g	35 - 80 g	80 - 135 g	135 - 165 g	165 - 250 g	250 - 425 g	425 - 575 g	575 - 710 g	710 - 780 g	-	-	-
9	30 - 65 g	65 - 105 g	105 - 155 g	155 - 200 g	200 - 380 g	380 - 515 g	515 - 640 g	640 - 760 g	760 - 815 g	-	-
12	*	*	105 - 145 g	145 - 180 g	180 - 320 g	320 - 460 g	460 - 570 g	570 - 675 g	675 - 775 g	775 - 820 g	-
15	*	*	*	*	*	*	410 - 540 g	540 - 640 g	640 - 690 g	690 - 870 g	-
*In this age group please use the feeding schedule below											
24h g	25 - 50 g	50 - 80 g	80 - 110 g	110 - 135 g	135 - 230 g	230 - 310 g	310 - 385 g	385 - 460 g	460 - 525 g	525 - 590 g	590 - 650 g
Low activity (< 1 h/day), based on FEDIAF nutritional guidelines.											
24h g	30 - 55 g	55 - 95 g	95 - 130 g	130 - 160 g	160 - 265 g	265 - 360 g	360 - 450 g	450 - 530 g	530 - 605 g	605 - 680 g	680 - 755 g
Moderate activity (1 - 3 h/day), based on FEDIAF nutritional guidelines.											
24h g	40 - 85 g	85 - 140 g	140 - 190 g	190 - 235 g	235 - 395 g	395 - 535 g	535 - 660 g	660 - 780 g	780 - 895 g	895 - 1005 g	1005 - 1115 g
High activity (> 3 h/day), based on FEDIAF nutritional guidelines.											


**SANIMED**  
VETERINARY NUTRITION



Analytical constituents	SANIMED Osteoarthritis				
	dry food				
	% product	% dry matter	per 100 kcal	per MJ	
Crude protein	19.50	21.20	5.01 g	11.93 g	
Crude fat	13.50	14.67	3.47 g	8.26 g	
Crude fibre	4.10	4.46	1.05 g	2.51 g	
Crude ash	4.70	5.11	1.21 g	2.88 g	
Moisture	8.00	0.00	2.06 g	4.90 g	
Carbohydrates	50.20	54.57	12.90 g	30.72 g	
Calcium	0.60	0.65	0.15 g	0.37 g	
Phosphorus	0.50	0.54	0.13 g	0.31 g	
Sodium	0.16	0.17	0.04 g	0.10 g	
Magnesium	0.11	0.12	0.03 g	0.07 g	
Potassium	0.80	0.87	0.21 g	0.49 g	
Lysine	0.88	0.96	0.23 g	0.54 g	
Methionine	0.30	0.33	0.08 g	0.18 g	
Cysteine	0.23	0.25	0.06 g	0.14 g	
Threonine	0.60	0.65	0.15 g	0.37 g	
Tryptophan	0.15	0.16	0.04 g	0.09 g	
Linoleic acid	2.10	2.28	0.54 g	1.29 g	
Alpha-Linolenic acid	2.40	2.61	0.62 g	1.47 g	
Arachidonic acid	0.03	0.03	0.008 g	0.018 g	
EPA	0.36	0.39	0.09 g	0.22 g	
DHA	0.36	0.39	0.09 g	0.22 g	
Total Omega-3 fatty acids	3.10	3.37	0.80 g	1.90 g	
Total vitamin E	510.00 IU/kg	554.35 IU/kg	13.11 IU	31.21 IU	
<b>Additives per kg</b>	<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>	
<b>Nutritional additives</b>					
Vitamin A (retinyl acetate)	IU	15000.00	16304.35	385.51	917.88
Vitamin D3 (cholecalciferol)	IU	1500.00	1630.43	38.55	91.79
Vitamin E (DL alpha-tocoferyl acetate)	IU	500.00	543.48	12.85	30.60
Vitamin K3	mg	1.60	1.74	0.04	0.10
Thiamine B1	mg	7.20	7.83	0.19	0.44
Riboflavin B2	mg	10.80	11.74	0.28	0.66
Niacin	mg	45.60	49.57	1.17	2.79
Pantothenic acid	mg	20.30	22.07	0.52	1.24
Pyroxide B6	mg	4.10	4.46	0.11	0.25
Vitamin B12	mg	0.06	0.07	0.002	0.004
Biotin	mg	0.41	0.45	0.01	0.03
Cholin chloride	mg	818.00	889.13	21.02	50.06
Folic acid	mg	1.00	1.09	0.03	0.06
Vitamin C	mg	352.00	382.61	9.05	21.54
Iron (iron II sulphate monohydrate)	mg	76.00	82.61	1.95	4.65
Manganese (manganese II oxide)	mg	28.00	30.43	0.72	1.71
Copper (copper II sulphate pentahydrate)	mg	13.50	14.67	0.35	0.83
Zinc (zinc sulphate monohydrate)	mg	135.00	146.74	3.47	8.26
Iodine (calcium iodate, anhydrous)	mg	1.40	1.52	0.04	0.09
Selenium (sodium selenite)	mg	0.30	0.33	0.008	0.018
<b>Ratio Omega-3 : Omega-6</b>	1 : 0.70				
<b>Metabolisable energy</b>	<b>MJ/kg</b>	16.34			
	<b>kcal/kg</b>	3891.00			

**Composition**

corn, barley, dehydrated poultry, dried beet pulp, rice bran, linseed oil, fish oil (salmon oil) (3.6%), porcine gelatin hydrolysate (2.5%), linseed, hydrolysed chicken liver, cellulose, minerals, animal fat, beta-1,3/1,6-glucans (0.08%)



# SANIMED Renal

## Liver / Stones



SANIMED Renal is available  
in packs of 3 kg and 12.5 kg

### Specifications

- inhibits renal failure, due to its low content of available phosphorus
- reduces the risk of urolithiasis of ammonium urate, calcium-oxalate and cystine
- protects kidney and liver cells against damaging influences



### Urolithiasis of ammonium urate, calcium oxalate and cystine

SANIMED Renal is suitable for patients that require prevention of urolithiasis of ammonium urate, calcium oxalate and cystine. The dietary treatment for the prevention of recurrent urolithiasis is aimed at reducing concentrations of stone-forming components in urine and controlling the pH of the urine to levels that counteract stone formation. SANIMED Renal meets these requirements.

### Chronic kidney insufficiency

The basis for the dietary treatment of dogs with chronic kidney insufficiency is the combined restriction of phosphorus and protein intake with a high intake of the omega-3 fatty acid eicosapentaenoic acid (EPA). The additional characteristics of SANIMED Renal are its low sodium content, positive base excess and high level of vitamin E. The positive base excess of SANIMED Renal helps prevent acidosis.

### Liver insufficiency

The main goal of the dietary treatment of liver patients is the prevention of the development of encephalopathy. The accumulation of ammonia due to its decreased conversion into urea is probably the most important cause of hepatic encephalopathy. The supply of ammonia, and therefore also its accumulation, can be reduced by decreasing protein breakdown in the liver as well as the uptake of ammonia through the colon wall.

The low protein content in SANIMED Renal reduces protein breakdown. The high content of beet pulp in the animal's diet stimulates the incorporation of ammonia into bacterial protein in the lumen of the colon, thereby allowing less ammonia to get into circulation. The low sodium content of SANIMED Renal contributes to the control of portal hypertension and ascites.

Feeding schedule SANIMED Renal dry food

kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
240 g	25 - 45 g	45 - 75 g	75 - 105 g	105 - 130 g	130 - 220 g	220 - 295 g	295 - 370 g	370 - 435 g	435 - 500 g	500 - 560 g	560 - 620 g
Low activity (< 1 h/day), based on FEDIAF nutritional guidelines.											
240 g	25 - 55 g	55 - 90 g	90 - 120 g	120 - 150 g	150 - 255 g	255 - 345 g	345 - 425 g	425 - 505 g	505 - 575 g	575 - 650 g	650 - 715 g
Moderate activity (1 - 3 h/day), based on FEDIAF nutritional guidelines.											
240 g	40 - 80 g	80 - 130 g	130 - 180 g	180 - 220 g	220 - 375 g	375 - 505 g	505 - 630 g	630 - 745 g	745 - 855 g	855 - 955 g	955 - 1060 g
High activity (> 3 h/day), based on FEDIAF nutritional guidelines.											

Analytical constituents	SANIMED Renal				
	dry food				
	% product	% dry matter	per 100 kcal	per MJ	
Crude protein	14.50	15.76	3.54 g	8.44 g	
Crude fat	17.00	18.48	4.15 g	9.89 g	
Crude fibre	3.20	3.48	0.78 g	1.86 g	
Crude ash	4.60	5.00	1.12 g	2.68 g	
Moisture	8.00	0.00	1.95 g	4.65 g	
Carbohydrates	52.70	57.28	12.88 g	30.66 g	
Calcium	0.50	0.54	0.12 g	0.29 g	
Phosphorus	0.40 *	0.44	0.10 g	0.23 g	
Sodium	0.10	0.11	0.02 g	0.06 g	
Magnesium	0.10	0.11	0.02 g	0.06 g	
Potassium	0.60	0.65	0.15 g	0.35 g	
Chloride	0.50	0.54	0.12 g	0.29 g	
Lysine	0.69	0.75	0.17 g	0.40 g	
Methionine	0.27	0.29	0.07 g	0.16 g	
Cysteine	0.23	0.25	0.06 g	0.13 g	
Threonine	0.53	0.58	0.13 g	0.31 g	
Tryptophan	0.14	0.15	0.03 g	0.08 g	
Linoleic acid	2.50	2.72	0.61 g	1.45 g	
Alpha-Linolenic acid	0.20	0.22	0.05 g	0.12 g	
Arachidon acid	0.04	0.04	0.01 g	0.023 g	
EPA	0.29	0.32	0.07 g	0.17 g	
DHA	0.29	0.32	0.07 g	0.17 g	
Sulphur	0.14	0.15	0.03 g	0.08 g	
Hydroxyproline	0.29	0.32	0.07 g	0.17 g	
Total copper	14.00 mg/kg	15.20 mg/kg	0.34 mg	0.81 mg	
Total vitamin D3	750.00 IU/kg	815.22 IU/kg	18.33 IU	43.64 IU	
<b>Additives per kg</b>	<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>	
<b>Nutritional additives</b>					
Vitamin A (retinyl acetate)	IU	11250.00	12228.26	274.92	654.56
Vitamin D3 (cholecalciferol)	IU	750.00	815.22	18.33	43.64
Vitamin E (DL alpha-tocopherol acetate)	IU	600.00	652.17	14.66	34.91
Vitamin K3	mg	1.20	1.30	0.03	0.07
Thiamine B1	mg	5.40	5.87	0.13	0.31
Riboflavin B2	mg	8.10	8.80	0.20	0.47
Niacin	mg	34.00	36.96	0.83	1.98
Pantothenic acid	mg	15.00	16.30	0.37	0.87
Pyroxide B6	mg	3.00	3.26	0.07	0.17
Vitamine B12	mg	0.05	0.05	0.001	0.003
Biotin	mg	0.30	0.33	0.01	0.02
Cholin chloride	mg	606.00	658.70	14.81	35.26
Folic acid	mg	0.75	0.82	0.02	0.04
Vitamin C	mg	100.00	108.70	2.44	5.82
Iron (iron II sulphate monohydrate)	mg	57.00	61.96	1.39	3.32
Manganese (manganese II oxide)	mg	21.00	22.83	0.51	1.22
Copper (copper II sulphate pentahydrate)	mg	10.00	10.87	0.24	0.58
Zinc (zinc sulphate monohydrate)	mg	100.00	108.70	2.44	5.82
Iodium (calcium iodate, anhydrous)	mg	1.00	1.09	0.02	0.06
Selenium (sodium selenite)	mg	0.20	0.22	0.005	0.012
<b>Technological additives</b>					
Ammonium chloride	mg	2200.00	2391.30	53.76	128.00
Potassium citrate	mg	5000.00	5434.78	122.19	290.92
<b>Ratio Omega-3 : Omega-6</b>		1 : 3.26			
<b>Metabolisable energy</b>	<b>MJ/kg</b>	17.19			
	<b>kcal/kg</b>	4092.00			

\* available phosphorus 3.0 g

**Composition**

barley, corn, rice, animal fat (poultry), dehydrated poultry, dried beet pulp, fish oil (salmon oil), whole egg powder, vegetable fat, yeast, hydrolysed chicken liver, minerals

# SANIMED Weight Control

## Diabetic



SANIMED Weight Control is available in packs of 3 kg and 12.5 kg

### Specifications

- enables weight control through its low energy content
- supports the preservation of muscle mass, due to its high protein content
- helps to regulate blood sugar levels, due to its high fiber content



### Tendency to obesity

SANIMED Weight Control is low in available fat and rich in crude fiber. It consequently has a low energy density. The calculated energy density is 1.191 kJ metabolizable energy per 100 g diet food (284 kcal/100 g). Conversely, this means that a certain amount of energy requires a greater amount

of food in weight than with other types of pet food. The low energy value and high filling value of SANIMED Weight Control contribute to the control of body weight. SANIMED Weight Control can be used for dogs with a tendency to become overweight and is suitable as a continued follow-up treatment against obesity with SANIMED Weight Reduction.

Feeding schedule SANIMED Weight Control dry food											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
240 g	25 - 45 g	45 - 75 g	75 - 105 g	105 - 130 g	130 - 220 g	220 - 295 g	295 - 370 g	370 - 435 g	435 - 500 g	500 - 560 g	560 - 620 g


Low activity (< 1 h/day), based on FEDIAF nutritional guidelines.

### SANIMED Weight Program

Very simply generate custom-made guidance to get your dog back to its ideal weight.  
On page 55 you will find further information about how to access the online SANIMED Weight Program.




[www.sanimedweightprogram.com](http://www.sanimedweightprogram.com)



Analytical constituents	SANIMED Weight Control				
	dry food				
	% product	% dry matter	per 100 kcal	per MJ	
Crude protein	30.00	32.61	10.58 g	25.19 g	
Crude fat	5.00	5.44	1.76 g	4.20 g	
Crude fibre	20.00	21.74	7.05 g	16.79 g	
Crude ash	6.00	6.52	2.12 g	5.04 g	
Moisture	8.00	0.00	2.82 g	6.72 g	
Carbohydrates	31.00	33.70	10.93 g	26.03 g	
Calcium	0.90	0.98	0.32 g	0.76 g	
Phosphorus	0.70	0.76	0.25 g	0.59 g	
Sodium	0.30	0.33	0.11 g	0.25 g	
Magnesium	0.14	0.15	0.05 g	0.12 g	
Potassium	0.77	0.84	0.27 g	0.65 g	
Lysine	1.50	0.16	0.53 g	1.26 g	
Methionine	0.60	0.65	0.21 g	0.50 g	
Cysteine	0.32	0.35	0.11 g	0.27 g	
Threonine	0.96	1.04	0.34 g	0.81 g	
Tryptophan	0.25	0.27	0.09 g	0.21 g	
Linoleic acid	1.37	1.49	0.48 g	1.15 g	
Alpha-Linolenic acid	0.26	0.28	0.09 g	0.22 g	
Arachidonic acid	0.003	0.003	0.001 g	0.003 g	
<b>Additives per kg</b>		<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>
<b>Nutritional additives</b>					
Vitamin A (retinyl acetate)	IU	12500.00	13586.96	440.81	1049.54
Vitamin D3 (cholecalciferol)	IU	1250.00	1358.70	44.08	104.95
Vitamin E (DL alpha-tocoferyl acetate)	IU	300.00	326.09	10.58	25.19
Vitamin K3	mg	1.30	1.41	0.05	0.11
Thiamine B1	mg	6.00	6.52	0.21	0.50
Riboflavin B2	mg	9.00	9.78	0.32	0.76
Niacin	mg	37.00	40.22	1.30	3.11
Pantothenic acid	mg	16.50	17.93	0.58	1.39
Pyroxide B6	mg	3.30	3.59	0.12	0.28
Vitamin B12	mg	0.05	0.05	0.002	0.004
Biotin	mg	0.33	0.36	0.01	0.03
Cholin chloride	mg	666.00	723.91	23.49	55.92
Folic acid	mg	0.80	0.87	0.03	0.07
Vitamin C	mg	198.00	215.22	6.98	16.62
Iron (iron II sulphate monohydrate)	mg	63.00	68.48	2.22	5.29
Manganese (manganese II oxide)	mg	23.00	25.00	0.81	1.93
Copper (copper II sulphate pentahydrate)	mg	11.00	11.96	0.39	0.92
Zinc (zinc sulphate monohydrate)	mg	110.00	119.57	3.88	9.24
Iodine (calcium iodate, anhydrous)	mg	1.10	1.20	0.04	0.09
Selenium (sodium selenite)	mg	0.20	0.22	0.007	0.017
L-carnitine	mg	250.00	271.74	8.82	20.99
<b>Ratio Omega-3 : Omega-6</b>		1 : 5.27			
<b>Metabolisable energy</b>	<b>MJ/kg</b>	11.91			
	<b>kcal/kg</b>	2836.00			

**Composition**

dehydrated poultry, barley, cellulose, dried beet pulp, potato protein, dried apple, corn gluten, extracted soya beans, peas, dried potato, carob pods, yeast, animal fat (poultry), dried alfalfa, linseed, hydrolysed chicken liver



# SANIMED Weight Reduction

## Low energy content

SANIMED Weight Reduction has a very low energy density, due to a combination of low available fat content and high levels of unavailable fat and raw fibre. The calculated energy density is 1.031 kJ metabolizable energy per 100 g diet food (245 kcal/100 g).

This low energy value implies optimal utilization of the satiation value of the diet. In other words, to provide a certain amount of energy, a greater amount of food in weight can be added to the diet than with other types of foods.



SANIMED Weight Reduction is available in packs of 400 grams (sausage),  
3 kg and 12.5 kg

## Specifications


- has the lowest energy content of all weight-reducing diets
- allows dogs to eat a relatively large amount of food and still lose weight, due to its high content in crude fiber and very low energy value
- SANIMED Weight Reduction dry and wet foods are fully interchangeable and can be very well combined



Feeding schedule SANIMED Weight Reduction dry food											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
15-25 %	30 - 55 g	55 - 95 g	95 - 130 g	130 - 160 g	160 - 270 g	270 - 370 g	370 - 455 g	455 - 540 g	540 - 620 g	620 - 695 g	695 - 770 g
25-50 %	25 - 50 g	50 - 80 g	80 - 110 g	110 - 140 g	140 - 235 g	235 - 315 g	315 - 390 g	390 - 465 g	465 - 530 g	530 - 595 g	595 - 660 g
50% +	20 - 40 g	40 - 70 g	70 - 95 g	95 - 115 g	115 - 195 g	195 - 265 g	265 - 325 g	325 - 385 g	385 - 440 g	440 - 495 g	495 - 550 g

Feeding schedule SANIMED Weight Reduction wet food *											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
15-25 %	50 - 100 g	100 - 165 g	165 - 225 g	225 - 280 g	280 - 465 g	465 - 635 g	635 - 785 g	785 - 930 g	930 - 1065 g	1065 - 1195 g	1195 - 1320 g
25-50 %	55 - 115 g	115 - 190 g	190 - 260 g	260 - 320 g	320 - 540 g	540 - 730 g	730 - 910 g	910 - 1075 g	1075 - 1230 g	1230 - 1380 g	1380 - 1525 g
50% +	85 - 170 g	170 - 280 g	280 - 380 g	380 - 475 g	475 - 800 g	800 - 1080 g	1080 - 1340 g	1340 - 1585 g	1585 - 1820 g	1820 - 2040 g	2040 - 2255 g

\* SANIMED Weight Reduction dry food and wet food are fully interchangeable (100 grams of dry food is equivalent to approx. 200 grams of wet food)



Analytical constituents		SANIMED Weight Reduction							
		dry food				wet food			
		% product	% dry matter	per 100 kcal	per MJ	% product	% dry matter	per 100 kcal	per MJ
Crude protein		30.00	32.61	12.22 g	29.10 g	12.40	33.51	12.25 g	29.16 g
Crude fat		15.00 *	5.44	2.04 g	4.85 g	2.90	7.84	2.86 g	6.82 g
Crude fibre		20.00	21.74	8.15 g	19.40 g	11.50	31.08	11.36 g	27.04 g
Crude ash		6.00	6.52	2.44 g	5.82 g	3.50	9.46	3.46 g	8.23 g
Moisture		8.00	0.00	3.26 g	7.76 g	63.00	0.00	62.21 g	148.13 g
Carbohydrates		21.00	33.66	8.55 g	20.37 g	6.70	18.11	6.62 g	15.75 g
Calcium		0.90	0.98	0.37 g	0.87 g				
Phosphorus		0.70	0.76	0.29 g	0.68 g				
Sodium		0.30	0.33	0.12 g	0.29 g				
Magnesium		0.11	0.12	0.04 g	0.11 g				
Potassium		0.61	0.66	0.25 g	0.59 g				
Lysine		1.50	1.63	0.61 g	1.45 g				
Methionine		0.60	0.65	0.24 g	0.58 g				
Cysteine		0.29	0.32	0.12 g	0.28 g				
Threonine		0.91	0.99	0.37 g	0.88 g				
Tryptophan		0.23	0.25	0.09 g	0.22 g				
Linoleic acid		1.26	1.37	0.51 g	1.22 g				
Alfa-Linoleic acid		0.24	0.26	0.10 g	0.23 g				
Arachidonic acid		0.003	0.003	0.001 g	0.003 g				
<b>Additives per kg</b>		<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>	<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>
<b>Nutritional additives</b>									
Vitamin A (retinyl acetate)	IU	12500.00	13586.96	509.21	1212.42	12600.00	34054.05	1244.30	2962.61
Vitamin D3 (cholecalciferol)	IU	1650.00	1793.47	67.22	160.04	1260.00	3405.41	124.43	296.26
Vitamin E (DL alpha-tocoferyl acetate)	IU	300.00	326.09	12.22	29.10	63.00	170.27	6.22	14.81
Vitamin K3	mg	1.30	1.41	0.05	0.13				
Thiamine B1	mg	6.00	6.52	0.24	0.58				
Riboflavin B2	mg	9.00	9.78	0.37	0.87				
Niacin	mg	37.00	40.22	1.51	3.59				
Pantothenic acid	mg	16.50	17.93	0.67	1.60				
Pyroxide B6	mg	3.30	3.59	0.13	0.32				
Vitamin B12	mg	0.05	0.05	0.002	0.005				
Biotin	mg	0.33	0.36	0.01	0.03				
Cholin chloride	mg	666.00	723.91	27.13	64.60				
Folic acid	mg	0.80	0.87	0.03	0.08				
Vitamin C	mg	198.00	215.22	8.07	19.20				
Iron (iron II sulphate monohydrate)	mg	63.00	68.48	2.57	6.11	63.00	170.27	6.22	14.81
Manganese (manganese II oxide)	mg	23.00	25.00	0.94	2.23	42.00	113.51	4.15	9.88
Copper (copper II sulphate pentahydrate)	mg	11.00	11.96	0.45	1.07				
Zinc (zinc sulphate monohydrate)	mg	110.00	119.57	4.48	10.67	63.00	170.27	6.22	14.81
Iodine (calcium iodate, anhydrous)	mg	1.10	1.20	0.04	0.11	1.690	4.32	0.16	0.38
Selenium (sodium selenite)	mg	0.20	0.22	0.008	0.019	0.20	0.54	0.02	0.05
L-carnitine	mg	250.00	271.74	10.18	24.25	1.90	5.14	0.19	0.45
<b>Ratio Omega-3 : Omega-6</b>		1 : 5.29							
<b>Metabolisable energy</b>		<b>MJ/kg</b>	10.31				<b>4.25</b>		
		<b>kcal/kg</b>	2455.00				1013.00		

\* 5% digestible

**Composition**

dry food: dehydrated poultry, cellulose, dried beet pulp, structured vegetable fat, dried potato, potato protein, corn gluten, dried apple, barley, peas, dried carob pods, extracted soya beans, yeast, animal fat (poultry), linseed, dried alfalfa, hydrolysed chicken liver

wet food: lamb, cellulose (12%), potato protein, rice, dehydrated poultry, plasma protein, hydrolysed chicken liver, minerals

**SANIMED Weight Program**

Very simply generate custom-made guidance to get your dog back to its ideal weight.  
On page 55 you will find further information about how to access the online SANIMED Weight Program.



[www.sanimedweightprogram.com](http://www.sanimedweightprogram.com)

# SANIMED Recovery



SANIMED Recovery is available in packs of 400 grams (sausage)

## Specifications

- rich in energy and protein for a speedy recovery of body weight and muscle mass
- very tasty and exceedingly suitable to get animals with a poor appetite to eat again
- supports the gastro-intestinal system and the animal's resilience
- ideal for administering medication
- easy slicing = easy dosage

Feeding schedule SANIMED Recovery wet food											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
	50 - 100 g	100 - 165 g	165 - 225 g	225 - 280 g	280 - 470 g	470 - 635 g	635 - 790 g	790 - 930 g	930 - 1070 g	1070 - 1200 g	1200 - 1325 g
Low activity (< 1 h/day), based on FEDIAF nutritional guidelines.											
	55 - 115 g	115 - 190 g	190 - 260 g	260 - 320 g	320 - 540 g	540 - 735 g	735 - 910 g	910 - 1075 g	1075 - 1235 g	1235 - 1385 g	1385 - 1535 g
Moderate activity (1 - 3 h/day), based on FEDIAF nutritional guidelines.											
	85 - 170 g	170 - 285 g	285 - 385 g	385 - 475 g	475 - 800 g	800 - 1085 g	1085 - 1345 g	1345 - 1590 g	1590 - 1825 g	1825 - 2050 g	2050 - 2265 g
High activity (> 3 h/day), based on FEDIAF nutritional guidelines.											

Analytical constituents		SANIMED Recovery			
		% product	% dry matter	per 100 kcal	per MJ
Crude protein		19.60	54.14	10.25 g	24.41 g
Crude fat		11.70	32.32	6.12 g	14.57 g
Crude fibre		0.50	1.38	0.26 g	0.62 g
Crude ash		2.10	5.80	1.10 g	2.62 g
Moisture		63.80	0.00	33.37 g	79.46 g
Carbohydrates		2.30	63.54	1.20 g	2.86 g
Sodium		3.20	0.88	0.17 g	0.40 g
Potassium		4.80	1.33	0.25 g	0.60 g
Linoleic acid		9.00	2.49	0.47 g	1.12 g
Alpha-Linolenic acid		1.00	2.76	0.05 g	0.12 g
EPA		2.00	0.56	0.10 g	0.25 g
DHA		2.00	0.56	0.10 g	0.25 g
Additives per kg		product	dry matter	per 100 kcal	per MJ
<b>Nutritional additives</b>					
Vitamin A (retinyl acetate)	IU	11400.00	31491.71	596.34	1419.85
Vitamin D3 (cholecalciferol)	IU	1140.00	3149.17	59.63	141.99
Vitamin E (DL alpha-tocoferyl acetate)	IU	100.00	276.24	5.23	12.45
Vitamin C	mg	30.00	82.87	1.57	3.74
Iron (iron II sulphate monohydrate)	mg	57.00	157.46	2.98	7.10
Manganese (manganese II oxide)	mg	38.00	104.97	1.99	4.73
Zinc (zinc sulphate monohydrate)	mg	250.00	690.61	13.08	31.14
Iodine (calcium iodate, anhydrous)	mg	1.40	3.87	0.07	0.17
Selenium (sodium selenite)	mg	0.20	0.55	0.01	0.02
L-arginine	mg	890.00	2458.56	46.56	110.85
L-valine	mg	14400.00	39779.01	753.27	1793.50
Taurine	mg	800.00	2209.94	41.85	99.64
<b>Sensory additives</b>					
L-glutamic acid	mg	5400.00	14917.13	282.48	672.56
<b>Technological additives</b>					
Lecithin	mg	6000.00	16574.59	313.86	747.29
<b>Metabolisable energy</b>		MJ/kg	kcal/kg		
		8.03	1912.00		

### Composition

beef, plasma protein, animal fat (beef), rice, minerals, vegetable oil, fish oil (salmon oil), cellulose

# SANIMED Clinical Choice Pure Duck

## Specifications

- contains just one single source of animal protein: duck
- can be used as elimination diet food to determine whether the dog is hypersensitive or intolerant to certain food ingredients
- can be used as maintenance food for dogs with food hypersensitivity or intolerance, if proven suitable
- is a complete food and contains all the necessary nutrients
- contains no added artificial colourings, flavourings and fragrances
- ideal for administering medication and for rewarding the dog during training
- easy slicing = easy dosage



Approved by  
MCD Specialists



SANIMED Clinical Choice Pure Duck is available in packs of 15 x 400 grams (sausage)

Feeding schedule SANIMED Clinical Choice Pure Duck wet food											
kg	1 - 2,5 kg	2,5 - 5 kg	5 - 7,5 kg	7,5 - 10 kg	10 - 20 kg	20 - 30 kg	30 - 40 kg	40 - 50 kg	50 - 60 kg	60 - 70 kg	70 kg +
	55 - 110 g	110 - 185 g	185 - 250 g	250 - 310 g	310 - 520 g	520 - 705 g	705 - 875 g	875 - 1035 g	1035 - 1190 g	1190 - 1335 g	1335 - 1475 g
Low activity (< 1 h/day), based on FEDIAF nutritional guidelines.											
	65 - 125 g	125 - 215 g	215 - 290 g	290 - 360 g	360 - 600 g	600 - 815 g	815 - 1015 g	1015 - 1195 g	1195 - 1375 g	1375 - 1540 g	1540 - 1705 g
Moderate activity (1 - 3 h/day), based on FEDIAF nutritional guidelines.											
	95 - 185 g	185 - 315 g	315 - 425 g	425 - 530 g	530 - 890 g	890 - 1205 g	1205 - 1495 g	1495 - 1770 g	1770 - 2030 g	2030 - 2280 g	2280 - 2520 g
High activity (> 3 h/day), based on FEDIAF nutritional guidelines.											

Analytical constituents		SANIMED Clinical Choice Pure Duck			
		% product	% dry matter	per 100 kcal	per MJ
Crude protein		9.10	24.53	4.74 g	11.29 g
Crude fat		10.20	27.49	5.31 g	12.65 g
Crude fibre		0.90	2.43	0.47 g	1.12 g
Crude ash		5.00	13.48	2.60 g	6.20 g
Moisture		62.90	0.00	32.77 g	78.02 g
Carbohydrates		11.90	32.08	6.20 g	14.76 g
Linoleic acid		0.90	2.43	0.47 g	1.12 g
Alpha-Linolenic acid		0.15	0.40	0.08 g	0.19 g
Additives per kg		product	dry matter	per 100 kcal	per MJ
Nutritional additives					
Vitamin A (retinyl acetate)	IU	10000.00	26954.18	520.96	1240.39
Vitamin D3 (cholecalciferol)	IU	1000.00	2695.42	52.10	124.04
Vitamin E (DL alpha-tocopherol acetate)	IU	50.00	134.77	2.60	6.20
Iron (iron II sulphate monohydrate)	mg	53.00	142.86	2.76	6.57
Manganese (manganese II oxide)	mg	35.00	94.34	1.82	4.34
Zinc (zinc sulphate monohydrate)	mg	53.00	142.86	2.76	6.57
Iodine (calcium iodate, anhydrous)	mg	1.30	3.50	0.07	0.16
Selenium (sodium selenite)	mg	0.20	0.54	0.01	0.02
Metabolisable energy	MJ/kg kcal/kg	8.06 1920.00			

### Composition

duck (76%), rice (11%), minerals, cellulose

# SANIMED Preventive Cat

		
Kitten	Adult	Senior
4 weeks - 12 months	1 - 8 years	from 8 years onwards

## Health food for kittens

- healthy skeletal development, due to formulated content of calcium, phosphorus and vitamin D
- easily digestible
- preventive against struvite
- formulated to the needs of pregnant and lactating cats
- high omega 3 content improves the condition of skin and coat and increases resilience of your kitten

**See page 40 for more information**



## Health food for adult cats

- improves skin condition and boosts the immune system, due to an optimal composition of essential fatty acids
- counteracts the formation of hairballs, due to additional raw fibre
- prevents the formation of struvite
- supports body condition and overall health of the cat

**See page 42 for more information**



## Health food for senior cats

- optimally digestible, due to high quality ingredients
- relieves stress on liver and kidneys, due to its lower protein content
- formulated to support a long and healthy feline life

**See page 44 for more information**



# SANIMED Curative Cat



**SANIMED Anti-Struvite**



**SANIMED Atopy/Sensitive**



**SANIMED Renal**



**SANIMED Weight Reduction**

## Indication

- struvite urolithiasis
- idiopathic cystitis
- prevents oxalate

[See page 46 for more information](#)

## Indication

- food allergy and intolerance (hydrolysed protein only)
- atopy (allergic dermatitis)
- flea allergy dermatitis (FAD)
- colitis
- inflammatory bowel disease (IBD)

[See page 48 for more information](#)

## Indication

- chronic renal insufficiency
- oxalate
- liver failure
- urate
- cystine urolithiasis

[See page 50 for more information](#)

## Indication

- obesity
- weight control
- arthritis
- diabetes mellitus
- hyperlipidemia
- pancreatitis with hyperlipidemia
- colitis
- constipation

[See page 52 for more information](#)



# SANIMED Kitten

## Growth

SANIMED Kitten is formulated to meet the high nutritional demands of kittens of all breeds. Growth and production of new tissue are greatest in this stage of life. SANIMED Kitten has a formulated content of calcium, phosphorus and vitamin D for healthy skeletal development. The high EPA content results in the synthesis of eicosanoids, which have an inhibiting effect on inflammations and consequently suppress atopic reactions.

## Low pH

SANIMED Kitten reduces urine pH to approx. 6.3 and contains relatively low amounts of magnesium, phosphorus and protein in order to lower the concentrations of struvite creating components. Struvite urolithiasis may occur in kittens, resulting in disorders of the lower urinary tract. Counteracting the formation of struvite is possible by inducing a low urinary pH and low concentrations of struvite creating components (magnesium, ammonium, phosphate).

## Specifications

- supports optimal growth
- improves the condition of skin and coat
- contributes to a good faeces consistency
- lowers risk of struvite urolithiasis
- for kittens from 4 weeks to 12 months old



SANIMED Kitten is available  
in packs of 1.5 kg and 4.5 kg

Feeding schedule SANIMED Kitten dry food						
age in months	1 month	2 months	3 months	6 months	9 months	12 months
24h 9	25 - 35 g	35 - 45 g	45 - 55 g	55 - 70 g	55 - 70 g	60 - 75 g

**SANIMED**  
VETERINARY NUTRITION



Analytical constituents		SANIMED Kitten			
		dry food			
		% product	% dry matter	per 100 kcal	per MJ
Crude protein		32.00	35.56	7.54 g	17.94 g
Crude fat		21.00	23.33	4.95 g	11.78 g
Crude fibre		2.20	2.44	0.52 g	1.23 g
Crude ash		5.90	6.56	1.39 g	3.31 g
Moisture		10.00	0.00	2.36 g	5.61 g
Carbohydrates		28.90	32.11	6.81 g	16.21 g
Calcium		0.85	0.94	0.20 g	0.48 g
Phosphorus		0.81	0.90	0.19 g	0.45 g
Sodium		0.34	0.38	0.08 g	0.19 g
Magnesium		0.08	0.09	0.02 g	0.05 g
Potassium		0.65	0.72	0.15 g	0.37 g
Chloride		0.30	0.33	0.07 g	0.17 g
Lysine		1.35	1.50	0.32 g	0.76 g
Methionine		0.70	0.78	0.16 g	0.39 g
Cysteine		0.39	0.43	0.09 g	0.22 g
Threonine		0.98	1.09	0.23 g	0.55 g
Tryptophan		0.23	0.25	0.05 g	0.13 g
Linoleic acid		3.43	3.81	0.81 g	1.92 g
Alpha-Linolenic acid		0.65	0.72	0.15 g	0.36 g
Arachidonic acid		0.03	0.03	0.007 g	0.017 g
EPA		0.14	0.16	0.03 g	0.08 g
DHA		0.14	0.16	0.03 g	0.08 g
Additives per kg		product	dry matter	per 100 kcal	per MJ
Nutritional additives					
Vitamin A (retinyl acetate)	IU	16500.00	18333.33	388.58	925.20
Vitamin D3 (cholecalciferol)	IU	1650.00	1833.33	38.86	92.52
Vitamin E (DL alfa-tocoferyl acetate)	IU	350.00	388.89	8.24	19.63
Vitamin K3	mg	0.75	0.83	0.02	0.04
Thiamine B1	mg	9.80	10.89	0.23	0.55
Riboflavin B2	mg	8.50	9.44	0.20	0.48
Niacine	mg	52.50	58.33	1.24	2.94
Pantothenic acid	mg	22.50	25.00	0.53	1.26
Pyroxide B6	mg	6.00	6.67	0.14	0.34
Vitamin B12	mg	0.05	0.06	0.001	0.003
Biotin	mg	0.23	0.26	0.01	0.01
Cholin chloride	mg	750.00	833.33	17.66	42.05
Folic acid	mg	4.50	5.00	0.11	0.25
Vitamin C	mg	100.00	111.11	2.36	5.61
Iron (iron II sulphate monohydrate)	mg	100.00	111.11	2.36	5.61
Manganese (manganese II oxide)	mg	40.00	44.44	0.94	2.24
Copper (copper II sulphate pentahydrate)	mg	5.00	5.56	0.12	0.28
Zinc (zinc sulphate monohydrate)	mg	150.00	166.67	3.53	8.41
Iodine (calcium iodate, anhydrous)	mg	1.00	1.11	0.02	0.06
Selenium (sodium selenite)	mg	0.20	0.22	0.005	0.011
Taurine	mg	800.00	888.89	18.84	44.86
L-lysine	mg	1200.00	1333.33	28.26	67.29
DL-methionine	mg	2200.00	2444.44	51.81	123.36
Ratio Omega-3 : Omega-6		1 : 4.32			
Metabolisable energy	MJ/kg	17.83			
	kcal/kg	4246.00			

**Composition**

rice, dehydrated poultry, animal fat (poultry, beef), corn, barley, corn gluten, extract of animal protein, dehydrated fish, dried beet pulp, hydrolysed chicken liver, fish oil (salmon oil), whole egg powder, linseed oil, yeast, minerals, cellulose, dehydrated haemoglobin



# SANIMED Adult



## Specifications

- offers good support for the body in the adult stage
- helps to reduce the risk of common diseases
- for adult cats from 1 year to 8 years old

SANIMED Adult is available  
in packs of 1.5 kg and 4.5 kg

### Good health

SANIMED Adult is formulated to meet the lower nutritional demands of adult cats of all breeds. The raw fibre content, in part moderately fermentable, promotes the integrity of the colonic mucosa and stimulates intestinal motility and excretion of a well-formed stool. The high EPA content results in the synthesis of eicosanoids, which have an inhibiting effect on inflammations and consequently suppress atopic reactions. SANIMED Adult contains added vitamin E as a natural antioxidant, which prevents the formation of free radicals and oxidative damage.

### Lowering urine pH

SANIMED Adult reduces urine pH to approx. 6.3 and contains relatively low amounts of magnesium, phosphorus and protein in order to lower the concentrations of struvite creating components. Struvite urolithiasis can develop in adult cats, resulting in disorders of the lower urinary tract. Reducing the risk of struvite formation is possible by inducing a low urinary pH and low concentrations of struvite forming components.

Feeding schedule SANIMED Adult dry food								
kg	1 kg	2 kg	3 kg	4 kg	5 kg	6 kg	7 kg	8 kg +
24h: 9	15 - 30 g	30 - 40 g	40 - 55 g	50 - 70 g	60 - 85 g	70 - 95 g	75 - 110 g	10 - 15 g/kg

**SANIMED**  
VETERINARY NUTRITION



Analytical constituents	SANIMED Adult				
	dry food				
	% product	% dry matter	per 100 kcal	per MJ	
Crude protein	27.20	30.22	6.63 g	15.78 g	
Crude fat	18.00	20.00	4.39 g	10.44 g	
Crude fibre	2.60	2.89	0.63 g	1.51 g	
Crude ash	5.00	5.56	1.22 g	2.90 g	
Moisture	10.00	0.00	2.44 g	5.80 g	
Carbohydrates	37.20	41.33	9.06 g	21.58 g	
Calcium	0.65	0.72	0.16 g	0.38 g	
Phosphorus	0.63	0.70	0.15 g	0.37 g	
Sodium	0.27	0.30	0.07 g	0.16 g	
Magnesium	0.08	0.09	0.02 g	0.05 g	
Potassium	0.60	0.66	0.15 g	0.035 g	
Chloride	1.00	1.11	0.24 g	0.58 g	
Lysine	1.20	1.33	0.29 g	0.70 g	
Methionine	0.90	1.00	0.22 g	0.52 g	
Cysteine	0.36	0.40	0.09 g	0.21 g	
Threonine	0.85	0.94	0.21 g	0.49 g	
Tryptophan	0.20	0.22	0.05 g	0.12 g	
Linoleic acid	3.02	3.36	0.74 g	1.75 g	
Alpha-Linolenic acid	0.49	0.54	0.12 g	0.28 g	
Arachidon acid	0.02	0.02	0.005 g	0.012 g	
EPA	0.15	0.17	0.04 g	0.09 g	
DHA	0.15	0.17	0.04 g	0.09 g	
<b>Additives per kg</b>		<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>
Nutritional additives					
Vitamin A (retinyl acetate)	IU	16500.00	18333.33	402.07	957.30
Vitamin D3 (cholecalciferol)	IU	1650.00	1833.33	40.21	95.73
Vitamin E (DL alfa-tocoferyl acetate)	IU	450.00	500.00	10.97	26.11
Vitamin K3	mg	0.75	0.83	0.02	0.04
Thiamine B1	mg	9.80	10.89	0.24	0.57
Riboflavin B2	mg	8.50	9.44	0.21	0.49
Niacin	mg	52.50	58.33	1.28	3.05
Pantothenic acid	mg	22.50	25.00	0.55	1.31
Pyroxide B6	mg	6.00	6.67	0.15	0.35
Vitamine B12	mg	0.05	0.06	0.001	0.003
Biotin	mg	0.23	0.26	0.01	0.01
Cholin chloride	mg	750.00	833.33	18.28	43.51
Folic acid	mg	4.50	5.00	0.11	0.26
Vitamin C	mg	100.00	111.11	2.44	5.80
Iron (iron II sulphate monohydrate)	mg	100.00	111.11	2.44	5.80
Manganese (manganese II oxide)	mg	40.00	44.44	0.97	2.32
Copper (copper II sulphate pentahydrate)	mg	5.00	5.56	0.12	0.29
Zinc (zinc sulphate monohydrate)	mg	150.00	166.67	3.66	9.70
Iodine (calcium iodate, anhydrous)	mg	1.00	1.11	0.02	0.06
Selenium (sodium selenite)	mg	0.20	0.22	0.005	0.012
Taurine	mg	800.00	888.89	19.49	46.41
L-lysine	mg	2100.00	2333.33	51.17	121.84
DL-methionine	mg	3800.00	4222.22	92.60	220.47
<b>Ratio Omega-3 : Omega-6</b>		1 : 3.97			
Metabolisable energy	MJ/kg	17.24			
	kcal/kg	4104.00			

**Composition**

rice, barley, corn gluten, animal fat (poultry, beef), dehydrated poultry, corn, extract of animal protein, dehydrated fish, dried beet pulp, cellulose, fish oil (salmon oil), hydrolysed chicken liver, yeast, whole egg powder, minerals, linseed oil, dehydrated haemoglobin



# SANIMED Senior



SANIMED Senior is available  
in packs of 1.5 kg and 4.5 kg

## Specifications

- offers good support for the body in the senior stage
- relieves stress on liver and kidneys, due to its lower protein content
- helps to reduce the risk of common diseases
- for senior cats from 8 years onwards

### Aging healthily

SANIMED Senior is formulated to meet the nutritional demands of older cats of all breeds. The high amounts of omega-3 fatty acids and vitamin E in SANIMED Senior contribute to a long and healthy feline life.

### Optimal pH

Older cats share an increased risk of struvite and calcium oxalate urolithiasis. Reducing the risk of struvite formation is possible by inducing a low urinary pH and low concentrations of struvite forming components (magnesium, ammonium, phosphate). However, very low urinary pH values are undesirable because of the additional risk of the formation of calcium oxalate. For this reason SANIMED Senior lowers the urine pH to approx. 6.8. The food contains relatively low amounts of magnesium, phosphorus and protein in order to lower the concentrations of struvite creating components. Its low protein content, combined with a low calcium content, reduces the concentrations of calcium oxalate forming components.

Feeding schedule SANIMED Senior dry food							
kg	2 kg	3 kg	4 kg	5 kg	6 kg	7 kg	8 kg +
24h g	30 - 45 g	40 - 60 g	50 - 75 g	60 - 85 g	70 - 100 g	80 - 115 g	10 - 15 g/kg

**SANIMED**  
VETERINARY NUTRITION



Analytical constituents	SANIMED Senior				
	dry food				
	% product	% dry matter	per 100 kcal	per MJ	
Crude protein	24.00	26.67	6.14 g	14.62 g	
Crude fat	14.80	16.44	3.79 g	9.01 g	
Crude fibre	3.20	3.56	0.82 g	1.95 g	
Crude ash	5.10	5.67	1.30 g	3.11 g	
Moisture	10.00	0.00	2.56 g	6.09 g	
Carbohydrates	42.90	47.67	10.97 g	26.13 g	
Calcium	0.55	0.61	0.14 g	0.33 g	
Phosphorus	0.49	0.54	0.13 g	0.30 g	
Sodium	0.22	0.24	0.06 g	0.13 g	
Magnesium	0.79	0.09	0.02 g	0.05 g	
Potassium	0.90	1.00	0.23 g	0.55 g	
Chloride	0.30	0.33	0.08 g	0.18 g	
Lysine	1.10	1.22	0.28 g	0.67 g	
Methionine	0.60	0.67	0.15 g	0.37 g	
Cysteine	0.29	0.32	0.07 g	0.18 g	
Threonine	0.72	0.80	0.18 g	0.44 g	
Tryptophan	0.17	0.19	0.04 g	0.11 g	
Linoleic acid	2.56	2.84	0.65 g	1.56 g	
Alpha-Linolenic acid	0.41	0.46	0.10 g	0.25 g	
Arachidonic acid	0.02	0.02	0.005 g	0.012 g	
EPA	0.17	0.19	0.04 g	0.10 g	
DHA	0.17	0.19	0.04 g	0.10 g	
<b>Additives per kg</b>		<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>
<b>Nutritional additives</b>					
Vitamin A (retinyl acetate)	IU	16500.00	18333.33	422.05	1004.87
Vitamin D3 (cholecalciferol)	IU	1650.00	1833.33	42.20	100.49
Vitamin E (DL alfa-tocoferyl acetate)	IU	500.00	555.56	12.79	30.45
Vitamin K3	mg	0.75	0.83	0.02	0.05
Thiamine B1	mg	9.80	10.89	0.25	0.60
Riboflavin B2	mg	8.50	9.44	0.22	0.52
Niacin	mg	52.50	58.33	1.34	3.20
Pantothenic acid	mg	22.50	25.00	0.58	1.37
Pyroxide B6	mg	6.00	6.67	0.15	0.37
Vitamin B12	mg	0.05	0.06	0.001	0.003
Biotin	mg	0.23	0.26	0.01	0.01
Cholin chloride	mg	750.00	833.33	19.18	45.68
Folic acid	mg	4.50	5.00	0.12	0.27
Vitamin C	mg	125.00	138.89	3.20	7.61
Iron (iron II sulfaat monohydrate)	mg	100.00	111.11	2.56	6.09
Manganese (manganese II oxide)	mg	40.00	44.44	1.02	2.44
Copper (copper II sulphate pentahydrate)	mg	5.00	5.56	0.13	0.30
Zinc (zinc sulphate monohydrate)	mg	150.00	166.67	3.84	9.14
Iodine (calcium iodate, anhydrous)	mg	1.00	1.11	0.03	0.06
Selenium (sodium selenite)	mg	0.20	0.22	0.005	0.012
Taurine	mg	800.00	888.89	20.46	48.72
L-lysine	mg	2000.00	2222.22	51.16	121.80
DL-methionine	mg	2200.00	2444.44	56.27	133.98
<b>Ratio Omega-3 : Omega-6</b>		1 : 3.47			
<b>Metabolisable energy</b>	<b>MJ/kg</b>	16.42			
	<b>kcal/kg</b>	3910.00			

**Composition**

rice, barley, corn, animal fat (poultry, beef), corn gluten, extract of animal protein, dehydrated poultry, dried beet pulp, dehydrated fish, fish oil (salmon oil), hydrolysed chicken liver, minerals, yeast, whole egg powder, cellulose, linseed oil



# SANIMED Anti-Struvite



SANIMED Anti-Struvite is available in packs of 1.5 kg and 4.5 kg

## Specifications

- supports both the dissolution and prevention of struvite
- has a low magnesium, protein (ammonium) and phosphorus content, thereby supporting a reduction of the struvite risk
- has a low calcium and protein content, which helps to slow down the formation of calcium oxalate



### Reducing and dissolving struvite

SANIMED Anti-Struvite contains the correct amount of urine acidifier, causing the average urinary pH value to lower to approx. 6.2. This pH value has an anti-struvite effect without the risk of acidosis. The low urine concentrations of magnesium, ammonium and phosphate induced by the composition of the diet food support the dissolution of struvite and help slow down further struvite formation. This means that SANIMED

Anti-Struvite can both be used in patients suffering from non-obstructive struvite urolithiasis as well as in patients who are prone to a recurrence of struvite.

The formulation of SANIMED Anti-Struvite reduces the risk of calcium oxalate urolithiasis. The diet is low in calcium and glycine (which form a substrate for the synthesis of oxalate).

Feeding schedule SANIMED Anti-Struvite dry food							
kg	2 kg	3 kg	4 kg	5 kg	6 kg	7 kg	8 kg +
24h 9	30 - 40 g	40 - 55 g	45 - 65 g	55 - 80 g	65 - 90 g	70 - 105 g	10 - 15 g/kg

#### Composition

rice, animal fat (beef, poultry), corn, extract of animal protein, barley, potato starch, corn gluten, wheat, potato protein, dehydrated lamb, dehydrated poultry, yeast, minerals, hydrolysed chicken liver, fish oil (salmon oil), cellulose, vegetable fat, dehydrated haemoglobin



Analytical constituents		SANIMED Anti-Struvite			
		dry food			
		% product	% dry matter	per 100 kcal	per MJ
Crude protein		25.00	27.17	5.83 g	13.89 g
Crude fat		20.00	21.74	4.67 g	11.11 g
Crude fibre		2.40	2.61	0.56 g	1.33 g
Crude ash		4.90	5.33	1.14 g	2.72 g
Moisture		8.00	0.00	1.87 g	4.44 g
Carbohydrates		39.70	43.15	9.26 g	22.05 g
Calcium		0.50	0.54	0.12 g	0.28 g
Phosphorus		0.50 *	0.54	0.12 g	0.28 g
Sodium		0.20	0.22	0.05 g	0.11 g
Magnesium		0.06	0.07	0.01 g	0.03 g
Potassium		0.80	0.87	0.19 g	0.44 g
Chloride		1.10	1.20	0.26 g	0.61 g
Lysine		1.25	1.36	0.29 g	0.69 g
Methionine		0.80	0.87	0.19 g	0.44 g
Cysteine		0.27	0.29	0.06 g	0.15 g
Threonine		0.88	0.96	0.21 g	0.49 g
Tryptophan		0.21	0.23	0.05 g	0.12 g
Linoleic acid		2.20	2.39	0.51 g	1.22 g
Alpha-Linolenic acid		0.22	0.24	0.05 g	0.12 g
Arachidonic acid		0.03	0.03	0.007 g	0.017 g
EPA		0.10	0.11	0.02 g	0.06 g
DHA		0.10	0.11	0.02 g	0.06 g
Sulphur		0.25	0.27	0.06 g	0.14 g
Total taurine		0.15	0.16	0.03 g	0.08 g
<b>Additives per kg</b>		<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>
<b>Nutritional additives</b>					
Vitamin A (retinyl acetate)	IU	16500.00	17934.78	384.96	916.56
Vitamin D3 (cholecalciferol)	IU	1650.00	1793.48	38.50	91.66
Vitamin E (DL alpha-tocoferol acetate)	IU	360.00	391.30	8.40	20.00
Vitamin K3	mg	0.80	0.87	0.02	0.04
Thiamine B1	mg	9.80	10.65	0.23	0.54
Riboflavin B2	mg	8.50	9.24	0.20	0.47
Niacin	mg	52.50	57.07	1.22	2.92
Pantothenic acid	mg	22.50	24.46	0.52	1.25
Pyroxide B6	mg	6.00	6.52	0.14	0.33
Vitamin B12	mg	0.05	0.05	0.001	0.003
Biotin	mg	0.23	0.25	0.01	0.01
Cholin chloride	mg	750.00	815.22	17.50	41.66
Folic acid	mg	4.50	4.89	0.10	0.25
Vitamin C	mg	260.00	282.61	6.07	14.44
Iron (iron II sulphate monohydrate)	mg	100.00	108.70	2.33	5.55
Manganese (manganese II oxide)	mg	40.00	43.48	0.93	2.22
Copper (copper II sulphate pentahydrate)	mg	5.00	5.43	0.12	0.28
Zinc (zinc sulphate monohydrate)	mg	150.00	163.04	3.50	8.33
Iodine (calcium iodate, anhydrous)	mg	1.00	1.09	0.02	0.06
Selenium (sodium selenite)	mg	0.20	0.22	0.005	0.011
Taurine	mg	1100.00	1195.65	25.66	61.10
L-lysine	mg	1600.00	1793.13	37.33	88.88
DL-methionine	mg	3600.00	3913.04	83.99	199.98
<b>Technological additives</b>					
Ammonium chloride	mg	5200.00	5652.17	121.32	288.86
Potassium citrate	mg	5000.00	5434.78	116.65	277.75
Lecithin	mg				
<b>Ratio Omega-3 : Omega-6</b>		1 : 5.31			
<b>Metabolisable energy</b>	MJ/kg	18.00			
	kcal/kg	4286.00			

\* available phosphorus 4,0 g

# SANIMED Atopy/Sensitive

## Hydrolysed protein



SANIMED Atopy/Sensitive is available in packs of 1.5 kg and 4.5 kg

### Specifications

- helps to prevent allergic reactions to food, due to the hydrolysed proteins
- helps to reduce inflammations, skin redness and itching, due to its fish oil (5%) and borage oil (0.5%)
- is formulated for the treatment of food hypersensitivity, atopy and flea allergy



### Only one single source of animal protein

SANIMED Atopy/Sensitive dry food contains hydrolysed fish protein as the only source of animal protein.

### Atopy

Treatment of atopic dermatitis is aimed at suppressing chronic inflammatory skin reactions. Salmon oil is rich in eicosapentaenoic acid (EPA) and borage oil is rich in gamma-linoleic acid (GLA). The incorporation of EPA and GLA stimulates the synthesis of anti-inflammatory eicosanoids, thereby reducing the symptoms of skin inflammations.

### Colitis and Inflammatory Bowel Disease (IBD)

For the treatment of colitis and IBD in cats the use of hypoallergenic, highly digestible protein sources in

conjunction with EPA are recommended. The digestibility of hydrolysed protein also is very high - higher than that of intact proteins. This makes it very suitable for the treatment of gastrointestinal symptoms.

### Supports prevention of struvite and oxalate

The average urine pH is 6.4. This pH value enhances the dissolution of struvite, as well as the prevention of its development. On top of that SANIMED Atopy/Sensitive is low in magnesium and contains relatively low amounts of phosphorus and protein. This means that it will stimulate anti-struvite effects. The risk of calcium oxalate urolithiasis is reduced because SANIMED Atopy/Sensitive is relatively poor in both calcium and glycine (which form the substrate for the synthesis of oxalate).

Feeding schedule SANIMED Atopy/Sensitive dry food

kg	2 kg	3 kg	4 kg	5 kg	6 kg	7 kg	8 kg +
24h 9	30 - 40 g	40 - 55 g	50 - 70 g	60 - 85 g	65 - 95 g	75 - 110 g	10 - 15 g/kg

Analytical constituents	SANIMED Atopy/Sensitive				
	dry food				
	% product	% dry matter	per 100 kcal	per MJ	
Crude protein	28.20	30.65	6.89 g	16.41 g	
Crude fat	17.00	18.48	4.16 g	9.90 g	
Crude fibre	3.40	3.70	0.83 g	1.98 g	
Crude ash	5.30	5.76	1.30 g	3.08 g	
Moisture	8.00	0.00	1.96 g	4.66 g	
Carbohydrates	38.10	41.41	9.31 g	22.18 g	
Calcium	0.70	0.76	0.17 g	0.41 g	
Phosphor	0.65	0.71	0.16 g	0.38 g	
Sodium	0.30	0.33	0.07 g	0.17 g	
Magnesium	0.04	0.04	0.01 g	0.02 g	
Potassium	0.55	0.60	0.13 g	0.32 g	
Chloride	0.57	0.62	0.14 g	0.33 g	
Lysine	1.63	1.78	0.40 g	0.95 g	
Methionine	0.47	0.51	0.11 g	0.27 g	
Cysteine	0.29	0.32	0.07 g	0.17 g	
Threonine	0.83	0.90	0.20 g	0.48 g	
Tryptophan	0.27	0.29	0.07 g	0.16 g	
Linoleic acid	1.80	1.96	0.44 g	1.05 g	
Alpha-Linolenic acid	0.40	0.44	0.10 g	0.23 g	
Arachidon acid	0.06	0.07	0.015 g	0.035 g	
EPA	0.50	0.54	0.12 g	0.29 g	
DHA	0.50	0.54	0.12 g	0.29 g	
γ-Linolenic acid	0.09	0.10	0.02 g	0.05 g	
<b>Additives per kg</b>		product	dry matter	per 100 kcal	per MJ
<b>Nutritional additives</b>					
Vitamin A (retinyl acetate)	IU	16000.00	17391.30	391.15	931.32
Vitamin D3 (cholecalciferol)	IU	1600.00	1739.13	39.12	93.13
Vitamin E (DL alpha-tocoferyl acetate)	IU	600.00	652.17	14.67	34.92
Vitamin K3	mg	0.80	0.87	0.02	0.05
Thiamine B1	mg	9.50	10.33	0.23	0.55
Riboflavin B2	mg	8.20	8.91	0.20	0.48
Niacin	mg	52.50	57.07	1.28	3.06
Pantothenic acid	mg	22.50	24.46	0.55	1.31
Pyroxide B6	mg	6.00	6.52	0.15	0.35
Vitamin B12	mg	0.03	0.03	0.001	0.002
Biotin	mg	0.23	0.25	0.01	0.01
Cholin chloride	mg	750.00	815.22	18.34	43.66
Folic acid	mg	4.40	4.78	0.11	0.26
Vitamin C	mg	100.00	108.70	2.44	5.82
Iron (iron II sulphate monohydrate)	mg	100.00	108.70	2.44	5.82
Manganese (manganese II oxide)	mg	40.00	43.48	0.98	2.33
Copper (copper II sulphate pentahydrate)	mg	5.00	5.43	0.12	0.29
Zinc (zinc sulphate monohydrate)	mg	150.00	163.04	3.67	8.73
Iodine (calcium iodate, anhydrous)	mg	1.00	1.09	0.02	0.06
Selenium (sodium selenite)	mg	0.20	0.22	0.005	0.012
L-carnitine	mg	750.00	815.22	18.34	43.66
Taurine	mg	1000.00	1086.96	24.45	58.21
<b>Ratio Omega-3 : Omega-6</b>		1 : 1.38			
<b>Metabolisable energy</b>	MJ/kg	17.18			
	kcal/kg	4090.00			

**Composition**

rice (35%), hydrolysed fish (18%), potato protein, animal fat (poultry), fish oil (salmon oil), potato starch, dried beet pulp, cellulose, minerals, hydrolysed chicken liver (1.5%), borage oil, linseed oil



# SANIMED Renal

## Liver / Stones

### Prevention of struvite and oxalate

Chronic kidney insufficiency is often associated with reduced secretion of acids that are formed in metabolism. To prevent a possible metabolic acidosis SANIMED Renal induces neutral urine pH. The risk of struvite urolithiasis will not increase, however, because the food is low in phosphorus, magnesium

and protein. To reduce the risk of calcium oxalate urolithiasis SANIMED Renal is low in calcium and glycine (which form the substrate for the synthesis of oxalate). A suitable kidney diet can only inhibit the loss of nephrons and prolong survival time after diagnosis.

### Specifications



SANIMED Renal is available in packs of 1.5 kg and 4.5 kg



Feeding schedule SANIMED Renal dry food							
kg	2 kg	3 kg	4 kg	5 kg	6 kg	7 kg	8 kg +
24h g	30 - 40 g	40 - 55 g	45 - 65 g	55 - 80 g	65 - 90 g	70 - 105 g	10 - 15 g/kg

**SANIMED**  
VETERINARY NUTRITION



Analytical constituents		SANIMED Renal			
		dry food			
		% product	% dry matter	per 100 kcal	per MJ
Crude protein		24.00	26.09	5.57 g	13.27 g
Crude fat		20.00	21.74	4.64 g	11.06 g
Crude fibre		2.00	2.17	0.46 g	1.11 g
Crude ash		4.70	5.11	1.09 g	2.60 g
Moisture		8.00	0.00	1.86 g	4.42 g
Carbohydrates		41.30	44.89	9.59 g	22.83 g
Calcium		0.50	0.54	0.12 g	0.28 g
Phosphorus		0.40	0.44	0.09 g	0.22 g
Sodium		0.18	0.20	0.04 g	0.10 g
Magnesium		0.07	0.08	0.02 g	0.04 g
Potassium		1.00	1.09	0.23 g	0.55 g
Chloride		0.80	0.87	0.19 g	0.44 g
Lysine		1.20	1.30	0.28 g	0.66 g
Methionine		0.70	0.76	0.16 g	0.39 g
Cysteine		0.32	0.35	0.07 g	0.18 g
Threonine		0.92	1.00	0.21 g	0.51 g
Tryptophan		0.24	0.26	0.06 g	0.13 g
Linoleic acid		2.20	2.39	0.51 g	1.22 g
Alpha-Linolenic acid		0.30	0.33	0.07 g	0.17 g
Arachidonic acid		0.07	0.08	0.016 g	0.039 g
EPA		0.80	0.87	0.19 g	0.44 g
DHA		0.80	0.87	0.19 g	0.44 g
Sulphur		0.24	0.26	0.06 g	0.14 g
Hydroxyproline		0.51	0.55	0.12 g	0.30 g
Total copper		4.00 mg/kg	4.35 mg/kg	0.10 mg	0.23 mg
Total vitamine D3		750.00 IU/kg	815.22 IU/kg	18.33 IU	43.64 IU
Additives per kg		product	dry matter	per 100 kcal	per MJ
Nutritional additives					
Vitamin A (retinyl acetate)	IU	16500.00	17934.78	383.13	912.21
Vitamin D3 (cholecalciferol)	IU	750.00	815.22	17.41	41.46
Vitamin E (DL alpha-tocopherol acetate)	IU	450.00	489.13	10.45	24.88
Vitamin K3	mg	0.80	0.87	0.02	0.04
Thiamine B1	mg	9.80	10.65	0.23	0.54
Riboflavin B2	mg	8.40	9.13	0.20	0.46
Niacin	mg	53.00	57.61	1.23	2.93
Pantothenic acid	mg	23.00	25.00	0.53	1.27
Pyroxide B6	mg	6.00	6.52	0.14	0.33
Vitamine B12	mg	0.04	0.04	0.001	0.002
Biotin	mg	0.23	0.25	0.01	0.01
Cholin chloride	mg	700.00	760.87	16.25	38.70
Folic acid	mg	4.50	4.89	0.10	0.25
Iron (iron II sulfaat monohydrate)	mg	100.00	108.70	2.32	5.53
Manganese (manganese II oxide)	mg	40.00	43.48	0.93	2.21
Zinc (zinc sulphate monohydrate)	mg	150.00	163.04	3.48	8.29
Iodine (calcium iodate, anhydrous)	mg	1.00	1.09	0.02	0.06
Taurine	mg	1600.00	1739.13	37.15	88.46
L-lysine	mg	1300.00	1413.04	30.19	71.87
DL-methionine	mg	2400.00	2608.70	55.73	132.68
Technological additives					
Potassium citrate	mg	5000.00	5434.78	116.10	276.43
Lecithin	mg	3000.00	3260.87	69.66	165.86
Ratio Omega-3 : Omega-6		1 : 1.19			
Metabolisable energy		MJ/kg	18.09		
		kcal/kg	4307.00		
* available phosphorus 3,0 g					

**Composition**

rice, wheat, fish oil (salmon oil), corn gluten, extract of animal protein, corn, barley, animal fat (poultry), potato protein, potato starch, dehydrated poultry, dried beet pulp, minerals, dehydrated lamb, yeast, hydrolysed chicken liver, vegetable fat, dehydrated haemoglobin, cellulose, corn oil

# SANIMED Weight Reduction

## Diabetic / Artrose



SANIMED Weight Reduction is available in packs of 1.5 kg and 4.5 kg

### Specifications

- promotes weight loss and creates a feeling of satiation through the combination of its low-fat, high crude fiber and low energy content
- enables the preservation of muscle mass, thanks to its additional protein



### High satiety

The treatment of obesity is based on creating a negative energy balance. This means reduction of food intake and/or promotion of increased activity. Supplying lower amounts of food energy is made easier by SANIMED Weight Reduction. This diet food has a low energy value. The low energy value is achieved by its low fat content and a high content of raw fibre in the form of cellulose. For this reason SANIMED offers a high satiation level, which contributes to evoking a feeling of satisfaction. It can also be applied for weight control. It is a complete food that can be fed indefinitely.

### Arthritis

Obesity is a major risk factor for arthritis in cats. There is a high likelihood that weight loss will reduce osteoarthritis symptoms. To support this effect SANIMED Weight Reduction is enriched with salmon oil and gelatin hydrolysate.

### Diabetes mellitus

SANIMED Weight Reduction is rich in raw fibre and can therefore be used in cats with diabetes mellitus, whether obese or not. A high intake of raw fibre has various positive effects in cats with diabetes mellitus. The required dose of insulin decreases, the glucose level is lowered and thereby also the concentration of glycosylated hemoglobin.

Feeding schedule SANIMED Weight Reduction dry food								
kg	3 kg	4 kg	5 kg	6 kg	7 kg	8 kg	9 kg	10 kg +
weight control	50 - 65 g	60 - 75 g	70 - 90 g	80 - 100 g	90 - 115 g	100 - 125 g	110 - 140 g	10 - 14 g/kg
over-weight 15 - 30%	N/A	30 - 50 g	40 - 60 g	45 - 65 g	55 - 75 g	60 - 80 g	70 - 90 g	8 g/kg
over-weight 30% +	N/A	25 - 45 g	35 - 55 g	40 - 60 g	45 - 65 g	50 - 70 g	55 - 75 g	7 g/kg

### SANIMED Weight Program

Very simply generate custom-made guidance to get your cat back to its ideal weight. On page 55 you will find further information about how to access the online SANIMED Weight Program.



[www.sanimedweightprogram.com](http://www.sanimedweightprogram.com)

Analytical constituents	SANIMED Weight Reduction				
	dry food				
	% product	% dry matter	per 100 kcal	per MJ	
Crude protein	36.50	39.67	11.40 g	27.14 g	
Crude fat	7.00	7.61	2.19 g	5.20 g	
Crude fibre	14.00	15.22	4.37 g	10.41 g	
Crude ash	5.40	5.87	1.69 g	4.01 g	
Moisture	8.00	0.00	2.50 g	5.95 g	
Carbohydrates	29.10	31.63	9.09 g	21.63 g	
Calcium	0.85	0.92	0.27 g	0.63 g	
Phosphorus	0.81	0.88	0.25 g	0.60 g	
Sodium	0.41	0.45	0.13 g	0.30 g	
Magnesium	0.08	0.09	0.02 g	0.06 g	
Potassium	0.58	0.63	0.18 g	0.43 g	
Chloride	0.62	0.67	0.19 g	0.46 g	
Lysine	1.50	1.63	0.47 g	1.12 g	
Methionine	0.60	0.65	0.19 g	0.45 g	
Cysteine	0.35	0.38	0.11 g	0.26 g	
Threonine	1.03	1.12	0.32 g	0.77 g	
Tryptophan	0.24	0.26	0.07 g	0.18 g	
Linoleic acid	1.00	1.09	0.31 g	0.74 g	
Alpha-Linolenic acid	0.10	0.11	0.03 g	0.07 g	
Arachidonic acid	0.01	0.02	0.004 g	0.01 g	
EPA	0.10	0.11	0.03 g	0.07 g	
DHA	0.10	0.11	0.03 g	0.07 g	
<b>Additives per kg</b>		<b>product</b>	<b>dry matter</b>	<b>per 100 kcal</b>	<b>per MJ</b>
<b>Nutritional additives</b>					
Vitamin A (retinyl acetate)	IU	16000.00	17391.30	499.59	1189.50
Vitamin D3 (cholecalciferol)	IU	1600.00	1739.13	49.96	118.95
Vitamin E (DL alfa-tocoferyl acetate)	IU	325.00	353.26	10.15	24.16
Vitamin K3	mg	0.75	0.82	0.02	0.06
Thiamine B1	mg	9.50	10.33	0.30	0.71
Riboflavin B2	mg	8.20	8.91	0.26	0.61
Niacin	mg	51.00	55.43	1.59	3.79
Pantothenic acid	mg	22.00	23.91	0.69	1.64
Pyroxide B6	mg	5.80	6.30	0.18	0.43
Vitamin B12	mg	0.04	0.04	0.001	0.003
Biotin	mg	0.22	0.24	0.01	0.02
Cholin chloride	mg	725.00	788.04	22.64	53.90
Folic acid	mg	4.40	4.78	0.14	0.33
Vitamin C	mg	100.00	108.70	3.12	7.43
Iron (iron II sulphate monohydrate)	mg	100.00	108.70	3.12	7.43
Manganese (manganese II oxide)	mg	40.00	43.48	1.25	2.97
Copper (copper II sulphate pentahydrate)	mg	5.00	5.43	0.16	0.37
Zinc (zinc sulphate monohydrate)	mg	150.00	163.04	4.68	11.15
Iodine (calcium iodate, anhydrous)	mg	1.00	1.09	0.03	0.07
Selenium (sodium selenite)	mg	0.20	0.22	0.006	0.015
L-carnitine	mg	250.00	271.74	7.81	18.59
L-lysine	mg	1100.00	1195.65	34.35	81.78
DL-methionine	mg	250.00	271.74	7.81	18.59
Taurine	mg	1200.00	1304.35	37.47	89.21
<b>Ratio Omega-3 : Omega-6</b>		1 : 3.33			
<b>Metabolisable energy</b>	<b>MJ/kg</b>	13.45			
	<b>kcal/kg</b>	3203.00			

**Composition**

barley, extract of animal protein, cellulose, dehydrated poultry, corn gluten, potato starch, rice, dried carob pods, peas, dried alfalfa, animal fat (poultry), yeast, hydrolysed chicken liver, gelatine (hydrolysed), salmon oil, dehydrated haemoglobin, minerals

# SANIMED Indication overview

## Dog and Cat

Indication	SANIMED Indicationlopedia			
	Dog		Cat	
	Product	page	Product	page
Alopecia (hair loss)	SANIMED Atopy/Sensitive	20		
Arthritis	SANIMED Osteoarthritis	28		
Arthrosis	SANIMED Osteoarthritis	28	SANIMED Weight Reduction	52
Atopy	SANIMED Atopy/Sensitive	20	SANIMED Atopy/Sensitive	48
Bladder infection	SANIMED Anti-Struvite	18	SANIMED Anti-Struvite	46
Calcium oxalate	SANIMED Anti-Struvite	18	SANIMED Anti-Struvite	46
Cardiomyopathie	SANIMED Cardiac	22		
Colitis	SANIMED Hypoallergenic DR	24	SANIMED Atopy/Sensitive	48
Colitis	SANIMED Hypoallergenic LR	26		
Colitis	SANIMED Weight Control	32		
Constipation	SANIMED Weight Control	32	SANIMED Weight Reduction	52
Cystine	SANIMED Renal	30	SANIMED Renal	50
Cystitis	SANIMED Anti-Struvite	18		
Diabetes Mellitus	SANIMED Weight Control	32	SANIMED Weight Reduction	52
Emaciation due to heart failure	SANIMED Cardiac	22		
Environmental allergy	SANIMED Atopy/Sensitive	20		
Erythema	SANIMED Atopy/Sensitive	20		
Extreme exercise	SANIMED Recovery	36		
Flea allergy	SANIMED Atopy/Sensitive	20	SANIMED Atopy/Sensitive	48
Food hypersensitivity	SANIMED Atopy/Sensitive	20	SANIMED Atopy/Sensitive	48
Food hypersensitivity	SANIMED Clinical Choice Pure Duck	37		
Food hypersensitivity	SANIMED Hypoallergenic DR	24		
Food hypersensitivity	SANIMED Hypoallergenic LR	26		
Gastric disorders	SANIMED Atopy/Sensitive	20	SANIMED Atopy/Sensitive	48
Hyperlipidaemia	SANIMED Weight Control	32	SANIMED Weight Reduction	52
Hyperpigmentation	SANIMED Atopy/Sensitive	20		
Inflammatory bowel disease (IBD)	SANIMED Atopy/Sensitive	20	SANIMED Atopy/Sensitive	48
Intestinal disorders	SANIMED Atopy/Sensitive	20	SANIMED Atopy/Sensitive	48
Intestinal infection	SANIMED Atopy/Sensitive	20	SANIMED Atopy/Sensitive	
Intestinal infection	SANIMED Hypoallergenic DR	24		
Intestinal infection	SANIMED Hypoallergenic LR	26		
Joint disorders	SANIMED Osteoarthritis	28		
Kidney diseases	SANIMED Renal	30	SANIMED Renal	50
Lactation	SANIMED Recovery	36		
Lichenification	SANIMED Atopy/Sensitive	20		
Liver	SANIMED Renal	30	SANIMED Renal	50
Muscle loss	SANIMED Cardiac	22		
Obesity	SANIMED Weight Reduction	34	SANIMED Weight Reduction	52
Osteoarthritis	SANIMED Osteoarthritis	28		
Overweight	SANIMED Weight Reduction	34	SANIMED Weight Reduction	52
Pancreatitis	SANIMED Weight Control	32	SANIMED Weight Reduction	52
Poor appetite (anorexia)	SANIMED Recovery	36		
Pruritis (itching)	SANIMED Atopy/Sensitive	20		
Recovery (upon surgery)	SANIMED Recovery	36		
Struvite	SANIMED Anti-Struvite	18	SANIMED Anti-Struvite	46
Urate	SANIMED Renal	30	SANIMED Renal	50
Urinary crystals (urinary stones)	SANIMED Anti-Struvite	18	SANIMED Anti-Struvite	46
Urolithiasis	SANIMED Anti-Struvite	18		
Weight control	SANIMED Weight Control	32	SANIMED Weight Reduction	52
Weight loss (due to heart failure)	SANIMED Cardiac	22		


# SANIMED Weight Program

[www.sanimedweightprogram.com](http://www.sanimedweightprogram.com)

## Use the online SANIMED Weight Program

The online accessible SANIMED Weight Program helps you to simply generate custom-made advice to get your dog or cat back to its ideal weight. The program allows you to simply enter the data of your pet after which the SANIMED Weight Program will immediately calculate a program that includes feeding amounts for reaching optimal weight. The overview, that also allows you to fill in additional information, can be printed or sent via e-mail. This is a good way to monitor the progress.

A healthy life starts with good nutrition



[www.sanimedweightprogram.com](http://www.sanimedweightprogram.com)

**SANIMED**  
VETERINARY NUTRITION



# SANIMED Veterinary Nutrition

**Visit our website [www.sanimed.info](http://www.sanimed.info)**

For additional and detailed information about SANIMED Veterinary Nutrition and the products from the SANIMED range visit [www.sanimed.info](http://www.sanimed.info)



## Explanation of the feeding schedules

The nutrition plan gives an indication of the amount of food required by your dog or cat. Closely monitor body condition and weight and adjust quantities if necessary. An ideal body condition reduces the risk of disease and prolongs the life of any dog or cat.

## References

For a complete overview over the various sources of SANIMED Veterinary Nutrition products we refer to the vet portal on [www.sanimed.info](http://www.sanimed.info).



S A N<sup>SM</sup> M E D  
VETERINARY NUTRITION

[WWW.SANIMED.INFO](http://WWW.SANIMED.INFO)

